

QE
841
.U62

PT. 1 UNIVERSITY OF KANSAS
MUSEUM OF NATURAL HISTORY

MISCELLANEOUS
PUBLICATION
No. 73

**Type and Figured Specimens of
Fossil Vertebrates in the
Collection of the University of
Kansas Museum of Natural
History
Part I. Fossil Fishes**

By
**H.-P. Schultze, J. D. Stewart,
A. M. Neuner, and R. W. Coldiron**

UNIVERSITY OF KANSAS
LAWRENCE 1982

October 6, 1982

UNIVERSITY OF KANSAS PUBLICATIONS
MUSEUM OF NATURAL HISTORY

The University of Kansas Publications, Museum of Natural History, beginning with volume 1 in 1946, was discontinued with volume 20 in 1971. Shorter research papers formerly published in the above series are now published as Occasional Papers, Museum of Natural History. The Miscellaneous Publications, Museum of Natural History, began with number 1 in 1946. Longer research papers are published in that series. Monographs of the Museum of Natural History were initiated in 1970. All manuscripts are subjected to critical review by intra- and extramural specialists; final acceptance is at the discretion of the Director.

Institutional libraries interested in exchanging publications may obtain the Occasional Papers and Miscellaneous Publications by addressing the Exchange Librarian, University of Kansas Library, Lawrence, Kansas 66045. Individuals may purchase separate numbers of all series. Prices for all publications of the Museum may be obtained from the Publications Secretary, Museum of Natural History, University of Kansas, Lawrence, Kansas 66045.

HARVARD UNIVERSITY



Library of the
Museum of
Comparative Zoology

THE UNIVERSITY OF KANSAS
MUSEUM OF NATURAL HISTORY

MISCELLANEOUS PUBLICATION NO. 73

October 6, 1982

Type and Figured Specimens of Fossil Vertebrates
in the Collection of the
University of Kansas Museum of Natural History
Part I. Fossil Fishes

BY

H.-P. SCHULTZE, J. D. STEWART, AND A. M. NEUNER,
*Museum of Natural History, University of Kansas
Lawrence, Kansas 66045*

AND

R. W. COLDIRON
1065 Miramonte Avenue, Los Altos, California 94022

THE UNIVERSITY OF KANSAS
LAWRENCE
1982

UNIVERSITY OF KANSAS PUBLICATIONS, MUSEUM OF NATURAL HISTORY

Editor: Robert M. Mengel
Managing Editor: Joseph T. Collins

Miscellaneous Publication No. 73
pp. 1-53
Published October 6, 1982

MUSEUM OF NATURAL HISTORY
THE UNIVERSITY OF KANSAS
LAWRENCE, KANSAS 66045
U.S.A.

PRINTED BY
UNIVERSITY OF KANSAS PRINTING SERVICE
LAWRENCE, KANSAS

CONTENTS

INTRODUCTION	1
SHORT HISTORY OF THE COLLECTION	2
ACKNOWLEDGMENTS	3
CATALOGUE	4
Class Chondrichthyes	4
Subclass Subterbranchialia	4
Subclass Elasmobranchii	4
Enterospira	16
Class Osteichthyes	17
Subclass Actinopterygii	17
Superorder Chondrostei	17
Superorder Neopterygii	21
Division Pycnodontiformes	21
Division Ginglymodi	23
Division Halecostomi	23
Subdivision Halecomorphi	23
Subdivision Teleostei	25
Teleostei inc. sed.	46
Subclass Sarcopterygii	46
Superorder Actinistia	46
Superorder Choanata	47
Superorder Dipnoi	47
LITERATURE CITED	49
APPENDIX. GENERA AND SPECIES LISTED	51

INTRODUCTION

The International Code of Zoological Nomenclature (1964, Art. 72D) recommends that each institution "publish lists of type-material in its possession or custody." In accordance with this recommendation, the following catalogue of fossil fish types and of figured fossil fishes in the University of Kansas Museum of Natural History fossil vertebrate collection (KUPV) is presented. The catalogue includes figured specimens which could not be relocated in the collection.

Specimens are grouped according to the following classifications: Zangerl 1981 (Chondrichthyes), Schaeffer 1973 (Chondrostei), Patterson and Rosen 1977 (Neopterygii) and Schultze 1981A (Sarcopterygii).

Class Chondrichthyes

Subclass Subterbranchialia

Superorder Holocephalia

Order Bradyodontida

Suborder Chimaerina

Subclass Elasmobranchii

Order Xenacanthida

Order Cladoseiachida

Order Eugeneodontida

Superfamily

Caseodontoidea

Superfamily Edestoidea

Order Petalodontida

Order Euselachii

Superfamily

Protacrodontoidea

Superfamily

Ctenacanthoidea

Superfamily

Hybodontoida

Superfamily Batoidea

Superfamily Squalimorphii

(Hexanchiformes,

Squaliformes,

Pristiophoriformes)

Superfamily Galeomorphii

Family inc. sedis

Ptychodontida

Class Osteichthyes

Subclass Actinopterygii

Superorder Chondrostei

Order Palaeonisciformes

Order Haplolepidida

Order Tarrasiida

Superorder Neopterygii

Division Pycnodontiformes

Division Ginglymodi

Division Halecostomi

Subdivision Halecomorphi

Order Pachycormiformes

Order Amiiformes

Order Aspidorhynchiformes

Subdivision Teleostei

Order Ichthyodectiformes

Suborder Ichthyodectoidei

Order Osteoglossiformes

Suborder Osteoglossoidei

Order Elopiformes

Suborder Elopoidei

Order Anguilliformes

Suborder Anguilloidei

Order Leptolepiformes

Order Culpeiformes

Order Euteleostei

Suborder Ostariophysii

Suborder

Protacanthopterygii

Suborder Neoteleostei

Infraorder

Aulopiformes

Infraorder

Paracanthopterygii

Infraorder

Acanthopterygii

Subclass Sarcopterygii

Superorder Actinistia

Order Coelacanthida

Superorder Choanata

Order Onychodontida

Superorder Dipnoi

The following information is included concerning each cited specimen: currently used catalogue number and old number if used in publication; name published under; author and year of publication; figure; preserved anatomical part(s) of the specimen; geologic stage, formation, member (see Zeller 1968); locality (Bardack 1965A) and collector

(where known). Within the Cretaceous, the specificity of assignments to geological stage varies for old localities depending on our knowledge of each locality. The areal distribution of outcrops correlated with the various stages is known and a locality can be assigned to stage if its location is well enough defined. Within one species, the specimens are arranged first after their type category and second in order of the appearance of the figures within the publication.

SHORT HISTORY OF THE COLLECTION

The fossil vertebrate collection at the University of Kansas dates back to the 1870's. In 1877 and 1878, F. H. Snow guided two collecting parties to western Kansas, which brought back "41 saurians, 6 pterodactyles and 117 fishes" (Snow 1880) from the Cretaceous of Gove County. However, these were not the first fossil vertebrates in the Museum of Natural History. They were preceded—as far as can be traced—by a large *Bananognathus* from the Cretaceous of western Kansas, collected by F. F. Dinsmore (1875), and a trackway from the Upper Pennsylvanian of eastern Kansas collected by F. B. Mudge (1873). During the years following, new specimens were added by acquisition from professional collectors such as E. P. West and C. H. Sternberg. In 1890 the situation changed drastically with the appointment of S. W. Williston. Over the next few years he guided parties of many students to the Cretaceous of Western Kansas, the Badlands of South Dakota, the Jurassic of Wyoming, and other places. This productive collecting era ended with the departure of Williston to Chicago in 1902. C. E. McClung and H. T. Martin continued to collect, usually at a slower pace, although the years 1910 and 1911 are an exception with the large parties in the Cretaceous of western Kansas and the Oligocene-Miocene of northeast Colorado. McClung left the

University of Kansas in 1912, and H. T. Martin took over the responsibility for the fossil vertebrate collection. His collecting focused on the Miocene and Pleistocene of Kansas, and the Oligocene-Miocene of northeast Colorado. These interests in the Pleistocene and Tertiary were continued by C. W. Hibbard, who followed H. T. Martin as curator of the fossil vertebrate collection. In 1931 and 1935 Miocene fishes from the diatomite of the Ogallala Formation of Logan County western Kansas were collected by K.U. field parties (C. W. Hibbard, W. K. McNown and M. K. Elias, and D. H. Dunkle respectively). With the appointment of R. W. Wilson in 1947, collecting emphasis changed to fossil mammals from the early Tertiary of Wyoming, New Mexico and Utah. While Wilson was curator, F. E. Peabody collected at Ft. Sill, Oklahoma, and he excavated the important Pennsylvanian site near Garnett, Kansas, discovered in the early 1930's. Peabody left the Department of Zoology in 1956, and the museum was able to establish a second curatorial position for the collection of lower fossil vertebrates. But even with the appointment of T. Eaton in 1958, the main additions to the collection were still Cenozoic and Cretaceous mammals gathered by W. C. Clemens, C. C. Black, and L. D. Martin. Paleozoic fossils occurring in the eastern part of Kansas were only occasionally collected. The *Sagenodus* material from the Pennsylvanian of northeast Kansas was collected by J. W. Beede in 1899, and additional extensive collecting was done by J. Chorn, 1974-79. The first braincases of Pennsylvanian palaeoniscoids were discovered by the geologists W. H. Twenhofel and C. Dunbar in 1914, although the locality at Garnett was first discovered and excavated by geologists. The latter locality was excavated further by Lane, McNown, D. H. Dunkle, C. W. Hibbard, and others in 1932 and 1936, before Peabody started extensive excavations in 1953 and 1954. In the 20's and

30's a large and important collection of fossil braincases of Pennsylvanian palaeoniscoids were brought together by a private collector, A. Bridwell.

In conclusion, the fossil vertebrate collection at the University of Kansas Museum of Natural History contains fossil mammals from a number of regions and horizons. Fossil lower tetrapods and fishes are mainly from the Cretaceous of western Kansas, and from the Pennsylvanian and Permian of eastern Kansas. Intensive collecting in these areas began again with L. D. Martin as curator at the beginning of the 1970's and H.-P. Schultze added a new emphasis on the Devonian since 1979.

We were not able to relocate three of the 57 holotypes, four of the 55 syntypes, and 53 of the 355 figured specimens. Forty-one holotypes, 49 syntypes

and all paratypes are valid, while the single neotype, 13 holotypes and two syntypes have been synonymized. Ten holotypes represent the type-species of the genus.

ACKNOWLEDGMENTS

We thank our colleagues L. D. Martin, R. W. Wilson, J. Chorn, and G. Arratia, Museum of Natural History, Lawrence, and C. Poplin, Museum National d'Histoire Naturelle, Paris, for their help with various matters. We are especially grateful to R. Kurtz and the typing service of the Division of Biology for arranging and typing of this manuscript.

The catalogue could not have been completed without special support for this project by P. S. Humphrey, Director of the Museum of Natural History.

CATALOGUE

CLASS CHONDRICHTHYES Huxley 1880

Subclass Subterbranchialia Zangerl 1979

Superorder Holocephali Bonaparte 1832

Order Bradyodontida Woodward 1921

Suborder Chimaerina Zangerl 1981

Family Deltodontidae Zangerl 1981

Deltodus Morris & Roberts 1862 ex Agassiz Ms.

Deltodus attenuatus Branson 1905

- KUVP 888 *Deltodus attenuatus* sp. nov.—Branson 1905: p. 33, pl. 1, fig. 6; holotype, tooth plate.
Upper Pennsylvanian, "Missouri Coal Measure"; near Kansas City, Missouri, collected by W. J. Parrish before 1885.

Family Chimaeridae Rafinesque 1815

Ichthyriapus Hibbard 1942

Ichthyriapus hubbsi Hibbard 1942

This species was described as "head clasper of a chimaeroid." It was found in close association with specimen KUVP 465 (not figured), which consisted of the large pectoral fins of a teleost, *Protosphyraena gladius* Cope. The hard tissue of the separately described piece is bone (not cartilage), a tissue atypical for chondrichthyes. Thus the piece has to be considered as truly part of the specimen KUVP 465.

- KUVP 1136 *Ichthyriapus hubbsi* gen. et sp. nov.—Hibbard 1942: pp. 237-240; text-fig. 1-4; holotype, mistakenly considered as chimaerid head clasper (see p. 00).

Upper Cretaceous, Santonian or Campanian, Niobrara Fm., Smoky Hill Chalk Member; Logan Co., Kansas; collected by G. Sternberg ?1912.

Subclass Elasmobranchii Bonaparte 1838

Order Eugeneodontida Zangerl 1981

Superfamily Caseodontoidea Zangerl 1981

Family Caseodontidae Zangerl 1981

Caseodus Zangerl 1981

Dome-shaped symphyisial teeth are characteristic for *Caseodus* according to Zangerl 1981, thus the teeth published by Eaton (1962) are referred to the new genus.

Caseodus gigas (Eaton 1962)

- KUVP 1023 *Fadenia gigas* new species—Eaton 1962: p. 353; text-fig. 2; holotype, 2 symphyisial teeth.

- KUVP 753 *Fadenia gigas* new species—Eaton 1962: p. 354; paratype published erroneously as KUVP 865, 2 symphyisial teeth.

Middle Pennsylvanian, Desmoinesian stage, label says: "4 feet from top of Cherokee Shale [=Cherokee Group], (Lexington coal) [=within Marmaton Group]"; at Lucas, Henry County, Missouri.

Caseodus sp.

- KUVP 1056 *Campodus variabilis*—Eaton 1962: text-fig. 1; symphyisial tooth.

Upper Pennsylvanian, Virgilian Stage, Shawnee Group, Oread Limestone, Plattsmouth Limestone Member; SW $\frac{1}{4}$, Sec. 27, T14S, R20E, N of Baldwin, Douglas Co., Kansas; collected by A. Bridwell.

Superfamily Edestoidea Hay 1929
 Family Agassizodontidae Zangerl 1981
Helicoprion Karpinsky 1899
Helicoprion sp.

- KUVP 30606 *Helicoprion* sp. indet.—Chorn 1978: text-fig. 1, part of tooth whorl. Lower Permian, Leonardian, Bone Spring Formation; 0.4 km E of Williams Ranch in Bone Canyon, Culberson Co., Texas; collected by F. R. West.

Order Petalodontida Zangerl 1981
Petalodus Owen 1845
Petalodus ohioensis Safford 1853

- KUVP 9972 *Petalodus jewetti* Miller, n. sp.—Miller 1957: pp. 82-83; text-fig. 1-2; holotype, tooth.
 Upper Pennsylvanian, Virgilian Stage, Shawnee Group, Oread Limestone, Plattsmouth Limestone Member; quarry at SE $\frac{1}{4}$, Sec. 20, T15S, R18E, Franklin Co., Kansas; collected by J. M. Jewett 1957.

Megactenopetalus David 1944
Megactenopetalus kaibabanus David 1944

- KUVP 57433 *Megactenopetalus kaibabanus*—Hansen 1980: text-fig. 1B; cusp from upper dental element, cast.
 Upper Pennsylvanian, Virgilian Stage, Shawnee Group, Leocompton Limestone, Beil Limestone Mbr.; SW $\frac{1}{4}$, Sec. 13, T12S, R18E, Douglas Co., Kansas.

Ctenoptychius Agassiz 1838
Ctenoptychius semicircularis Newberry and Worthen 1866

- KUVP 14386 *Ctenoptychius semicircularis* Newberry and Worthen—Martin 1913: pl. 21; 1 tooth.
 ? Permian (or Uppermost Pennsylvanian); 30 miles E of Arkansas City, southern Kansas.

Order Euselachii Hay 1902
 Superfamily Protacrodontoidea Zangerl 1981
Holmesella Gunnell 1931
Holmesella ? sp.

- KUVP 1088 *Holmesella* ? sp.—Ørvig 1966: text-fig. 1F-H (specimens illustrated in text-fig. 1A and 5A, B not relocated); pl. 1 and 2; scales.
 Upper Pennsylvanian, Missourian Stage, Kansas City Group, Iola Limestone, Muncie Creek Shale; 3 or 4 miles NW of Independence, Montgomery Co., Kansas; collected by R. C. Moore.

Superfamily Hybodontoidae Zangerl 1981

- KUVP 57406 hybodont—Maisey 1982: fig. 16 J,K; cephalic spine.

Upper Pennsylvanian, Virgilian, Bern Limestone Formation, Soldier Creek Shale Member after Sawin et al. 1979 (Burlingame Limestone Member after Zeller 1968); creek bank 1 mi. N and $\frac{3}{4}$ mi. E of Robinson, SW $\frac{1}{4}$, SW $\frac{1}{4}$, NW $\frac{1}{4}$, Sec. 34, T2S, R18E, Brown Co. (mistakenly listed as Shawnee Co.), Kansas; collected by J. Chorn 1978.

Superfamily Galeomorphii Compagno 1973
 Family Odontaspidae Müller and Henle 1839
Scapanorhynchus Woodward 1889
Scapanorhynchus raphiodon (Agassiz 1843)

- KUVP ? *Scapanorhynchus raphiodon* Agassiz—Williston 1900A: pl. 8, fig. 4; pl. 14, fig. 5.
Scapanorhynchus raphiodon Agassiz—Williston 1900B: pl. 26, fig. 4; pl. 32, fig. 5.
Scapanorhynchus—Lane 1945: pl. 1, fig. 5 (=Williston 1900A, pl. 14, fig. 5).
 Not relocated.
 See also *Cretoxyrhina mantelli*.

Family Cretoxyrinidae Glückman 1958
Cretolamna Glückman 1958
Cretolamna appendiculata (Agassiz 1843)

- KUVP 55227 *Lamna*, sp.—Williston 1900A: pl. 12, fig. 5.
Lamna, sp.—Williston 1900B: pl. 30, fig. 5.
 Isolated tooth.
- KUVP 55228 *Lamna*, sp.—Williston 1900A: pl. 12, fig. 6.
Lamna, sp.—Williston 1900B: pl. 30, fig. 6.
 Isolated tooth.
- Lower Cretaceous, Albian, Kiowa Fm.; Clark Co., Kansas; collected by S. W. Williston.
- KUVP ? *Lamna*, sp.—Williston 1900A: pl. 12, fig. 12.
Lamna, sp.—Williston 1900B: pl. 30, fig. 12.
 Tooth, not relocated.
- KUVP 55231 *Lamna appendiculata* Roemer—Williston 1900A: pl. 13, fig. 47; pl. 14, fig. 3A.
Lamna appendiculata Roemer—Williston 1900B: pl. 31, fig. 47; pl. 32, fig. 3A.
Lamna—Lane 1945: pl. 1, fig. 3A (=Williston 1900A, pl. 14, fig. 3A).
 Tooth.
- Upper Cretaceous, Turonian, ?Eagleford Group; Dallas County, Dallas, Texas; collected by F. Hunston.
- KUVP ? *Lamna appendiculata* Roemer—Williston 1900A: pl. 13, fig. 48; pl. 14, fig. 3B.
Lamna appendiculata Roemer—Williston 1900B: pl. 31, fig. 48; pl. 32, fig. 3B.
Lamna—Lane 1945: pl. 1, fig. 3B (=Williston 1900A: pl. 14, fig. 3B).
 Tooth; not relocated.
 See also *Cretoxyrhina mantelli*.

Cretoxyrhina Glückman 1958

Cretoxyrhina mantelli (Agassiz 1843)

- KUVP 13522 *Scapanorhynchus rhapsiodon* Agassiz—Williston 1900A: pl. 8, fig. 2; pl. 14, fig. 4.
Scapanorhynchus rhapsiodon Agassiz—Williston 1900B: pl. 26, fig. 2; pl. 32, fig. 4.
Scapanorhynchus—Lane 1945: pl. 1, fig. 4 (=Williston 1900A, pl. 14, fig. 4).
 Tooth.
 Upper Cretaceous, Senonian, probably Niobrara Fm., Smoky Hill Chalk Mbr.; western Kansas.
- KUVP ? *Lamna appendiculata* Agassiz—Williston 1900A: pl. 8, fig. 3.
Lamna appendiculata Agassiz—Williston 1900B: pl. 26, fig. 3.
 Tooth; not relocated.
- KUVP ? *Oxyrhina mantelli* Agassiz—Williston 1900A: pl. 8, fig. 5; pl. 14, fig. 2J.
Isurus mantelli Agassiz—Williston 1900B: pl. 26, fig. 5; pl. 32, fig. 2J.
Isurus—Lane 1945: pl. 1, fig. 2J (=Williston 1900A: pl. 14, fig. 2J).
 Tooth; not relocated.
- KUVP 64541 *Oxyrhina mantelli* Agassiz—Williston 1900A: pl. 13, fig. 41; pl. 14, fig. 2.
Isurus mantelli Agassiz—Williston 1900B: pl. 31, fig. 41; pl. 32, fig. 2.
Isurus—Lane 1945: pl. 1, fig. 2 (=Williston 1900A, pl. 14, fig. 2).
 Tooth.
- KUVP 64542 *Oxyrhina mantelli* Agassiz—Williston 1900A: pl. 13, fig. 42; pl. 14, fig. 2A.
Isurus mantelli Agassiz—Williston 1900B: pl. 31, fig. 42; pl. 32, fig. 2A.
Isurus—Lane 1945: pl. 1, fig. 2A (=Williston 1900A, pl. 14, fig. 2A).
 Tooth.
- KUVP 64543 *Oxyrhina mantelli* Agassiz—Williston 1900A: pl. 13, fig. 43; pl. 14, fig. 2C.
Isurus mantelli Agassiz—Williston 1900B: pl. 31, fig. 43; pl. 32, fig. 2C.
Isurus—Lane 1945: pl. 1, fig. 2C (=Williston 1900A, pl. 14, fig. 2C).
 Tooth.
- KUVP 64544 *Oxyrhina mantelli* Agassiz—Williston 1900A: pl. 13, fig. 44; pl. 14, fig. 2D.
Isurus mantelli Agassiz—Williston 1900B: pl. 31, fig. 44; pl. 32, fig. 2D.
Isurus—Lane 1945: pl. 1, fig. 2D (=Williston 1900A, pl. 14, fig. 2D).
 Tooth.
- KUVP 64541-64544 Upper Cretaceous, Senonian, Niobrara Fm., Smoky Hill Chalk Mbr.; Gove Co., Kansas; collected by Cooper.

- KUVP ? *Oxyrhina mantelli* Agassiz—Williston 1900A: pl. 13, fig. 45; pl. 14, fig. 2F.
Isurus mantelli Agassiz—Williston 1900B: pl. 31, fig. 45; pl. 32, fig. 2F.
Isurus—Lane 1945: pl. 1, fig. 2F (=Williston 1900A, pl. 14, fig. 2F).
 Tooth; not relocated.
- KUVP ? *Oxyrhina mantelli* Agassiz—Williston 1900A: pl. 13, fig. 46; pl. 14, fig. 2G.
Isurus mantelli Agassiz—Williston 1900B: pl. 31, fig. 46; pl. 32, fig. 2G.
Isurus—Lane 1945: pl. 1, fig. 2G (=Williston 1900A, pl. 14, fig. 2G).
 Tooth; not relocated.
- KUVP 64545 *Oxyrhina mantelli* Agassiz—Williston 1900A: pl. 13, fig. 50; pl. 13, fig. 2E.
Isurus mantelli Agassiz—Williston 1900B: pl. 31, fig. 50; pl. 32, fig. 2E.
Isurus—Lane 1945: pl. 1, fig. 2E (=Williston 1900A, pl. 14, fig. 2E).
 Tooth.
- KUVP 64546 *Oxyrhina mantelli* Agassiz—Williston 1900A: pl. 13, fig. 51; pl. 14, fig. 2F.
Isurus mantelli Agassiz—Williston 1900B: pl. 31, fig. 51; pl. 32, fig. 2F.
Isurus—Lane 1945: pl. 1, fig. 2F (=Williston 1900A, pl. 14, fig. 2F).
 Tooth.
- KUVP 64547 *Oxyrhina mantelli* Agassiz—Williston 1900A: pl. 13, fig. 52; pl. 14, fig. 2B.
Isurus mantelli Agassiz—Williston 1900A: pl. 31, fig. 52; pl. 32, fig. 2B.
Isurus—Lane 1945: pl. 1, fig. 2B (=Williston 1900A, pl. 14, fig. 2B).
 Tooth.
- KUVP 64545-64547 Upper Cretaceous, Senonian, Niobrara Fm., Smoky Hill Chalk Mbr.; Gove Co., Kansas; collected by Cooper.
- KUVP ? *Oxyrhina mantelli* Agassiz—Williston 1900A: pl. 14, fig. 2H.
Isurus mantelli Agassiz—Williston 1900B: pl. 32, fig. 2H.
Isurus—Lane 1945: pl. 1, fig. 2H (=Williston 1900A, pl. 14, fig. 2H).
 Tooth; not relocated.
- KUVP ? *Oxyrhina mantelli* Agassiz—Williston 1900A: pl. 14, fig. 2I.
Isurus mantelli Agassiz—Williston 1900B: pl. 32, fig. 2I.
Isurus—Lane 1945: pl. 1, fig. 2I (=Williston 1900A, pl. 14, fig. 2I).
 Tooth; not relocated.
- KUVP ? *Oxyrhina mantelli* Agassiz—Williston 1900A: pl. 14, fig. 2K.
Isurus mantelli Agassiz—Williston 1900B: pl. 32, fig. 2K.
Isurus—Lane 1945: pl. 1, fig. 2K (=Williston 1900A, pl. 14, fig. 2K).

- Tooth; not relocated.
- KUVP ? *Oxyrhina mantelli* Agassiz—Williston 1900A: pl. 14, fig. 2L.
Isurus mantelli Agassiz—Williston 1900B: pl. 32, fig. 2L.
Isurus—Lane 1945: pl. 1, fig. 2L (=Williston 1900A, pl. 14, fig. 2L).
 Tooth; not relocated.
- KUVP ? *Oxyrhina mantelli* Agassiz—Williston 1900A: pl. 14, fig. 2M.
Isurus mantelli Agassiz—Williston 1900B: pl. 32, fig. 2M.
Isurus—Lane 1945: pl. 1, fig. 2M (=Williston 1900A, pl. 14, fig. 2M).
 Tooth; not relocated.
- KUVP 64548 *Oxyrhina mantelli* Agassiz—Williston 1900A: pl. 14, fig. 6.
Isurus mantelli Agassiz—Williston 1900B: pl. 32, fig. 6.
Isurus—Lane 1945: pl. 1, fig. 6 (=Williston 1900A, pl. 14, fig. 6).
 Tooth.
 Upper Cretaceous, Senonian, Niobrara Fm., Smoky Hill Chalk Mbr.; Gove Co., Kansas; collected by Cooper.
- KUVP ? *Oxyrhina mantelli* Agassiz—Williston 1900A: pl. 14, fig. 7.
Isurus mantelli Agassiz—Williston 1900B: pl. 32, fig. 7.
Isurus—Lane 1945: pl. 1, fig. 7 (=Williston 1900A, pl. 14, fig. 17).
 Tooth; not relocated.
- KUVP 64549 *Oxyrhina mantelli* Agassiz—Williston 1900A: pl. 14, unnumbered.
Isurus mantelli Agassiz—Williston 1900B: pl. 32, unnumbered.
Isurus—Lane 1945: pl. 1, unnumbered (=Williston 1900A, pl. 14, unnumbered).
 Tooth.
 Upper Cretaceous, Senonian, Niobrara Fm., Smoky Hill Chalk Mbr.; Gove Co., Kansas; collected by Cooper.
- Leptostyrax* Williston 1900A
 We follow here the usage of Meyer (1974), who emended *Leptostyrax* Williston 1900A to include all primitive cretoxyrhinids with labial plications on most teeth, with the linguo-apical part of the root nearly perpendicular to the face of the crown, and without a nutritive groove. This includes species previously assigned to *Plicatolamna* Herman 1975 (e.g. "*Lamna*" *macrorrhiza* Cope, "*Otodus*" *semiplicatus* Agassiz, "*Otodus*" *sulcatus* Geinitz, and "*Oxyrhina*" *crassidens* Dixon). This usage was also accepted by Martin and Stewart 1977.
- Leptostyrax crassidens* (Dixon 1850)
- KUVP 55230 *Lamna appendiculata* Roemer—Williston 1900A: pl. 13, fig. 49; pl. 14, fig. 3C.
Lamna appendiculata Roemer—Williston 1900B: pl. 31, fig. 49; pl. 32, fig. 3C.
Lamna—Lane 1945: pl. 1, fig. 3C (=Williston 1900A, pl. 14, fig. 3C).
 Isolated tooth.
 Upper Cretaceous, Turonian, ?Eagleford Group; Dallas Co., Dallas, Texas; collected by F. Hunston.
- Leptostyrax macrorrhiza* (Cope 1875)
- KUVP 55249 Undetermined lamnid—Williston 1900A: pl. 12, fig. 2.

- Undetermined lamnid—Williston 1900B: pl. 30, fig. 2.
Isolated tooth.
Lower Cretaceous, Albian, Kiowa Fm.; Clark Co., Kansas; collected by S. W. Williston.
- KUVP ? Undetermined lamnid—Williston 1900A: pl. 12, fig. 3.
Undetermined lamnid—Williston 1900B: pl. 30, fig. 3.
Tooth; not relocated.
- Cretoxyrhinidae indet.
- KUVP ? Undetermined lamnid—Williston 1900A: pl. 12, fig. 1.
Undetermined lamnid—Williston 1900B: pl. 30, fig. 1.
Tooth; not relocated.
- Family Anacoracidae Casier 1947
Squalicorax Whitley 1939
Squalicorax curvatus (Williston 1900A)
- KUVP ? *Corax curvata*, n. sp.—Williston 1900A: p. 41, pl. 12, fig. 7,8;
Corax curvatus Willist. in caption of pl. 12.
Corax curvatus, n. sp.—Williston 1900B: pl. 30, fig. 7,8.
Tooth; not relocated.
- Squalicorax kaupi* (Agassiz 1843)
- KUVP 64501 *Corax falcatus* Agassiz—Williston 1900A: pl. 13, fig. 1.
Corax falcatus Agassiz—Williston 1900B: pl. 31, fig. 1.
Tooth.
- KUVP 64502 *Corax falcatus* Agassiz—Williston 1900A: pl. 13, fig. 2.
Corax falcatus Agassiz—Williston 1900B: pl. 31, fig. 2.
Tooth.
- KUVP 64503 *Corax falcatus* Agassiz—Williston 1900A: pl. 13, fig. 3.
Corax falcatus Agassiz—Williston 1900B: pl. 31, fig. 3.
Tooth.
- KUVP 64504 *Corax falcatus* Agassiz—Williston 1900A: pl. 13, fig. 4.
Corax falcatus Agassiz—Williston 1900B: pl. 31, fig. 4.
Tooth.
- KUVP 64505 *Corax falcatus* Agassiz—Williston 1900A: pl. 13, fig. 5.
Corax falcatus Agassiz—Williston 1900B: pl. 31, fig. 5.
Tooth.
- KUVP 64506 *Corax falcatus* Agassiz—Williston 1900A: pl. 13, fig. 6.
Corax falcatus Agassiz—Williston 1900B: pl. 31, fig. 6.
Tooth.
- KUVP 64507 *Corax falcatus* Agassiz—Williston 1900A: pl. 13, fig. 7.
Corax falcatus Agassiz—Williston 1900B: pl. 31, fig. 7.
Tooth.
- KUVP 64508 *Corax falcatus* Agassiz—Williston 1900A: pl. 13, fig. 8.
Corax falcatus Agassiz—Williston 1900B: pl. 31, fig. 8.
Tooth.
- KUVP 64509 *Corax falcatus* Agassiz—Williston 1900A: pl. 13, fig. 9.
Corax falcatus Agassiz—Williston 1900B: pl. 31, fig. 9.
Tooth.
- KUVP 64510 *Corax falcatus* Agassiz—Williston 1900A: pl. 13, fig. 10.
Corax falcatus Agassiz—Williston 1900B: pl. 31, fig. 10.
Tooth.

- KUVP 64512 *Corax falcatus* Agassiz—Williston 1900A: pl. 13, fig. 12.
Corax falcatus Agassiz—Williston 1900B: pl. 31, fig. 12.
 Tooth.
- KUVP 64513 *Corax falcatus* Agassiz—Williston 1900A: pl. 13, fig. 13.
Corax falcatus Agassiz—Williston 1900B: pl. 31, fig. 13.
 Tooth.
- KUVP 64514 *Corax falcatus* Agassiz—Williston 1900A: pl. 13, fig. 14.
Corax falcatus Agassiz—Williston 1900B: pl. 31, fig. 14.
 Tooth.
- KUVP 64521 *Corax falcatus* Agassiz—Williston 1900A: pl. 13, fig. 21.
Corax falcatus Agassiz—Williston 1900B: pl. 31, fig. 21.
 Tooth.
- KUVP 64522 *Corax falcatus* Agassiz—Williston 1900A: pl. 13, fig. 22.
Corax falcatus Agassiz—Williston 1900B: pl. 31, fig. 22.
 Tooth.
- KUVP 64524 *Corax falcatus* Agassiz—Williston 1900A: pl. 13, fig. 24.
Corax falcatus Agassiz—Williston 1900B: pl. 31, fig. 24.
 Tooth.
- KUVP 64526 *Corax falcatus* Agassiz—Williston 1900A: pl. 13, fig. 26.
Corax falcatus Agassiz—Williston 1900B: pl. 31, fig. 26.
 Tooth.
- KUVP 64530 *Corax falcatus* Agassiz—Williston 1900A: pl. 13, fig. 30.
Corax falcatus Agassiz—Williston 1900B: pl. 31, fig. 30.
 Tooth.
- KUVP 64533 *Corax falcatus* Agassiz—Williston 1900A: pl. 13, fig. 33.
Corax falcatus Agassiz—Williston 1900B: pl. 31, fig. 33.
 Tooth.
- KUVP 64537 *Corax falcatus* Agassiz—Williston 1900A: pl. 13, fig. 37.
Corax falcatus Agassiz—Williston 1900B: pl. 31, fig. 37.
 Tooth.
- KUVP 64539 *Corax falcatus* Agassiz—Williston 1900A: pl. 13, fig. 39.
Corax falcatus Agassiz—Williston 1900B: pl. 31, fig. 39.
 Tooth.
- KUVP 64501-64539 Upper Cretaceous, Santonian, Niobrara Fm., Smoky Hill
 Chalk Mbr.; western Kansas; collected by E. P. West.
- KUVP ? *Corax falcatus* Agassiz—Williston 1900A: pl. 14, fig. 1-1L.
Corax falcatus Agassiz—Williston 1900B: pl. 32, fig. 1-1L.
Corax—Lane 1945: pl. 1, fig. 1-1L (=Williston 1900A, pl. 14,
 fig. 1-1L).
 Teeth of one individual; not relocated.
- Squalicorax* cf. *kaupi* (Agassiz 1843)
- KUVP 64511 *Corax falcatus* Agassiz—Williston 1900A: pl. 13, fig. 11.
Corax falcatus Agassiz—Williston 1900B: pl. 31, fig. 11.
 Tooth.
- KUVP 64515 *Corax falcatus* Agassiz—Williston 1900A: pl. 13, fig. 15.
Corax falcatus Agassiz—Williston 1900B: pl. 31, fig. 15.
 Tooth.
- KUVP 64516 *Corax falcatus* Agassiz—Williston 1900A: pl. 13, fig. 16.
Corax falcatus Agassiz—Williston 1900B: pl. 31, fig. 16.
 Tooth.

- KUVP 64517 *Corax falcatus* Agassiz—Williston 1900A: pl. 13, fig. 17.
Corax falcatus Agassiz—Williston 1900B: pl. 31, fig. 17.
 Tooth.
- KUVP 64518 *Corax falcatus* Agassiz—Williston 1900A: pl. 13, fig. 18.
Corax falcatus Agassiz—Williston 1900B: pl. 31, fig. 18.
 Tooth.
- KUVP 64519 *Corax falcatus* Agassiz—Williston 1900A: pl. 13, fig. 19.
Corax falcatus Agassiz—Williston 1900B: pl. 31, fig. 19.
 Tooth.
- KUVP 64520 *Corax falcatus* Agassiz—Williston 1900A: pl. 13, fig. 20.
Corax falcatus Agassiz—Williston 1900B: pl. 31, fig. 20.
 Tooth.
- KUVP 64523 *Corax falcatus* Agassiz—Williston 1900A: pl. 13, fig. 23.
Corax falcatus Agassiz—Williston 1900B: pl. 31, fig. 23.
 Tooth.
- KUVP 64525 *Corax falcatus* Agassiz—Williston 1900A: pl. 13, fig. 25.
Corax falcatus Agassiz—Williston 1900B: pl. 31, fig. 25.
 Tooth.
- KUVP 64527 *Corax falcatus* Agassiz—Williston 1900A: pl. 13, fig. 27.
Corax falcatus Agassiz—Williston 1900B: pl. 31, fig. 27.
 Tooth.
- KUVP 64528 *Corax falcatus* Agassiz—Williston 1900A: pl. 13, fig. 28.
Corax falcatus Agassiz—Williston 1900B: pl. 31, fig. 28.
 Tooth.
- KUVP 64529 *Corax falcatus* Agassiz—Williston 1900A: pl. 13, fig. 29.
Corax falcatus Agassiz—Williston 1900B: pl. 31, fig. 29.
 Tooth.
- KUVP 64531 *Corax falcatus* Agassiz—Williston 1900A: pl. 13, fig. 31.
Corax falcatus Agassiz—Williston 1900B: pl. 31, fig. 31.
 Tooth.
- KUVP 64532 *Corax falcatus* Agassiz—Williston 1900A: pl. 13, fig. 32.
Corax falcatus Agassiz—Williston 1900B: pl. 31, fig. 32.
 Tooth.
- KUVP 64534 *Corax falcatus* Agassiz—Williston 1900A: pl. 13, fig. 34.
Corax falcatus Agassiz—Williston 1900B: pl. 31, fig. 34.
 Tooth.
- KUVP 64535 *Corax falcatus* Agassiz—Williston 1900A: pl. 13, fig. 35.
Corax falcatus Agassiz—Williston 1900B: pl. 31, fig. 35.
 Tooth.
- KUVP 64536 *Corax falcatus* Agassiz—Williston 1900A: pl. 13, fig. 36.
Corax falcatus Agassiz—Williston 1900B: pl. 31, fig. 36.
 Tooth.
- KUVP 64538 *Corax falcatus* Agassiz—Williston 1900A: pl. 13, fig. 38.
Corax falcatus Agassiz—Williston 1900B: pl. 31, fig. 38.
 Tooth.
- KUVP 64540 *Corax falcatus* Agassiz—Williston 1900A: pl. 13, fig. 40.
Corax falcatus Agassiz—Williston 1900B: pl. 31, fig. 40.
 Tooth.
- KUVP 64511-64540 Upper Cretaceous, Santonian, Niobrara Fm., Smoky Hill
 Chalk Mbr.; western Kansas; collected by E. P. West.

Squalicorax sp.

- KUVP ? *Corax*?—Williston 1900A: pl. 6, fig. 14.
Corax?—Williston 1900B: pl. 24, fig. 14.
 Tooth; not relocated.
- KUVP ? *Corax*?—Williston 1900A: pl. 6, middle figure.
Corax?—Williston 1900B: pl. 24, middle figure.
 Centrum; not relocated.

Family Ptychodontidae Hay 1902, incertae sedis

Ptychodus Agassiz 1839*Ptychodus anonymus* Williston 1900

- KUVP 55252a,d *Ptychodus anonymus*, n. sp.—Williston 1900A: p. 32; pl. 11, fig. 5-8; syntypes.
Ptychodus anonymus Willist.—Williston 1900B: pl. 29, fig. 5-8; syntypes.
 Teeth.
- KUVP 55252c,f *Ptychodus anonymus*, n. sp.—Williston 1900A: p. 32; pl. 11, fig. 17, 18; syntypes.
Ptychodus anonymus Willist.—Williston 1900B: pl. 29, fig. 17, 18; syntypes.
 Teeth.
- KUVP 55252h,g *Ptychodus anonymus*, n. sp.—Williston, 1900A: pl. 11, fig. 21, 22; syntypes.
Ptychodus anonymus Willist.—Williston 1900B: pl. 29, fig. 21,22; syntypes.
 Teeth.
- KUVP 55252i,k,l *Ptychodus anonymus*, n. sp.: ?syntypes, teeth. These teeth could be the specimens figured by Williston 1900A: pl. 11, fig. 16,20,24 or Williston 1900B: pl. 29, fig. 16,20,24, but the identity between specimens and figures cannot be assured.
 Upper Cretaceous (?Greenhorn Limestone); Walnut Creek, Rush or Ness Co., Kansas; collected by J. L. Shearer.

?Ptychodus janewayii (Cope 1874)

Specimens figured by Williston 1900A: pl. 12, fig. 9-11 (=Williston 1900B: pl. 30, fig. 9-11) could not be relocated. Existing teeth determined as *P. janewayii* do not match the figures.

Ptychodus martini Williston 1900

- KUVP 55271 *Ptychodus martini*, n. sp.—Williston 1900A: p. 32; pl. 10; holotype.
Ptychodus martini Willist.—Williston 1900B: pl. 28, holotype.
 Teeth arranged by author as associated dentition. Presently 102 teeth (Williston 1900 cites 110) arranged in a plaster block unlike the published figure.
 Upper Cretaceous, Coniacian, Niobrara Formation, Smoky Hill Chalk Member; Smoky Hill River, Trego Co., Kansas; collected by H. T. Martin 1894.
 This assignment to Coniacian is based on our knowledge that *P. martini* became extinct in the Western Interior before the Coniacian/Santonian boundary. The assignment is supported by scarce outcrops of Lower Santonian rocks along Smoky Hill River in Trego County.

- Ptychodus mortoni* Mantell 1842
- KUVP 55269 *Ptychodus mortoni* Mantell—Williston 1900A: pl. 7.
Ptychodus mortoni Mantell—Williston 1900B: pl. 25.
 80 teeth arranged in a plaster block different from the published figure.
 Upper Cretaceous, Coniacian or Santonian, Niobrara Formation, Smoky Hill Chalk Member; probably Trego Co., Kansas; collection of J. Savage.
P. mortoni extends from the Coniacian into the Middle Santonian in Kansas, therefore a more specific assignment of stage is not possible.
- KUVP 55270 *Ptychodus mortoni* Mantell—Williston 1900A: pl. 8, fig. 1; pl. 9, fig. 1,2.
Ptychodus mortoni Mantell—Williston 1900B: pl. 26, fig. 1; pl. 27, fig. 1,2.
 539 teeth arranged in a plaster block different from the published figures.
 Upper Cretaceous, Coniacian, Niobrara Formation, Smoky Hill Chalk Member; near Castle Rock, but Trego Co., Kansas; collected by E. S. Rose.
- Ptychodus occidentalis* Leidy 1868
- KUVP 55259 *Ptychodus occidentalis* Leidy—Williston 1900A: pl. 11, fig. 4; pl. 12, fig. 13.
Ptychodus occidentalis Leidy—Williston 1900B: pl. 29, fig. 4; pl. 30, fig. 13.
 1 tooth.
 Upper Cretaceous, Cenomanian, Graneros Shale Formation; Ellsworth Co., Kansas.
- Ptychodus polygyrus* Agassiz 1839
- KUVP 55237 *Ptychodus polygyrus* Buckl.—Williston 1900A: pl. 11, fig. 9; pl. 12, fig. 14.
Ptychodus polygyrus Buckl.—Williston 1900B: pl. 29, fig. 9; pl. 30, fig. 14.
 1 tooth.
 Upper Cretaceous, Senonian, Niobrara Formation, Smoky Hill Chalk Member; Smoky Hill River, ?Gove Co., Kansas.
- Ptychodus* sp.
- KUVP 55260 *Ptychodus*, sp. indet.—Williston 1900A: pl. 11, fig. 1.
Ptychodus, sp. indet.—Williston 1900B: pl. 29, fig. 1.
 1 tooth.
- KUVP 55256a-b *Ptychodus*, sp. indet.—Williston 1900A: pl. 11, fig. 2,3.
Ptychodus, sp. indet.—Williston 1900B: pl. 29, fig. 2,3.
 2 teeth.
- KUVP 55255a-d *Ptychodus*, sp.—Williston 1900A: pl. 13, fig. 53.
Ptychodus, sp.—Williston 1900B: pl. 31, fig. 53.
Ptychodus—Lane 1945: pl. 2 (=Williston 1900A, pl. 13, fig. 53).
 4 teeth.
- KUVP 55255, 55256, 55260 Upper Cretaceous, Turonian, Greenhorn Limestone Formation; Salt Creek, Russell Co., Kansas; collected by J. L. Shearer.

- KUVP 55264 *Ptychodus*, spp.—Williston 1900A: pl. 11, fig. 19.
Ptychodus, spp.—Williston 1900B: pl. 29, fig. 19.
 1 tooth.
 Upper Cretaceous; Western Kansas.
 Specimens to Williston 1900A: pl. 11, fig. 23,25 and 27 (=Williston 1900B: pl. 29, fig. 23,25 and 27) could not be relocated.
- Ptychodus whipplei* Marcou 1858
- KUVP 55254a-f *Ptychodus whippleyi* Marcou—Williston 1900A: pl. 11, fig. 10-15.
Ptychodus whippleyi Marcou—Williston 1900B: pl. 29, fig. 10-15.
 6 teeth.
 Upper Cretaceous (?Eagleford Group); Dallas, Texas; collected by F. Springer.
- KUVP 55253 *Ptychodus*, spp.—Williston 1900A: pl. 11, fig. 26.
Ptychodus, spp.—Williston 1900B: pl. 29, fig. 26.
 1 tooth.
 Upper Cretaceous; western Kansas.
- Elasmobranchii inc. sed.
- Listracanthus* Newberry and Worthen 1870
- Listracanthus eliasi* Hibbard 1938
- KUVP 884 *Listracanthus eliasi* n. sp.—Hibbard 1938: pp. 169-70; pl. 19, holotype, spine.
- KUVP 885, 886 *Listracanthus eliasi*—Hibbard 1938: pp. 169-170; paratype, spine, part and counterpart.
 Upper Pennsylvanian, Virgilian Stage, Wabaunsec Group, Cedarvale Shale, few feet above Elmo coal; Carpenter's coal mine, 2 mi. W and 3 mi. S of Burlington Junction, Nodaway Co., Missouri; collected by M. K. Elias 1934.
- Listracanthus* ? *hystrix* Newberry and Worthen 1870
- KUVP 30604 probably *L. hystrix*—Chorn and Reavis 1978: text-fig. 2 (30604-1) + 3C (30604-2), densely packed spines (see below).
 Middle Pennsylvanian, Desmoinesian Stage, Marmaton Group, Fort Scott Limestone, Little Osage Shale Member; SE $\frac{1}{4}$, NE $\frac{1}{4}$, NW $\frac{1}{4}$, Sec. 19, T25S, R25E, Bourbon Co., Kansas; collected by E. A. Reavis 1974.
- Petrodus* McCoy 1848
- Petrodus* sp.
- KUVP 30604 *Petrodus*—Chorn and Reavis 1978: text-fig. 3A,B (30604-5), denticle. Chorn and Reavis (1978) consider *Petrodus* denticles congeneric with *Listracanthus* spines.
 Middle Pennsylvanian, Desmoinesian Stage, Marmaton Group, Fort Scott Limestone, Little Osage Shale Member; SE $\frac{1}{4}$, NE $\frac{1}{4}$, NW $\frac{1}{4}$, Sec. 19, T25S, R25E, Bourbon Co., Kansas; collected by E. A. Reavis 1974.
- Physonemus* McCoy 1848
- Physonemus mirabilis* (St. John and Worthen 1875)
- KUVP 55274 *Xystracanthus grandis* Moore, n. sp.—Moore 1929: pp. 239-242;

pl. 40, fig. 1-3; holotype of *X. grandis*, spine [for synonymy see Zidek 1977, and Chorn and Frailey 1978].

Upper Pennsylvanian, Cisco Group, Graham Formation, Wayland Shale Member; 5 miles west of Eastland, Eastland Co., Texas; collected by R. C. Moore.

KUVP 24011 *Physonemus mirabilis*—Chorn and Frailey 1978: text-fig. 1A-D; dorsal spine.

Upper Pennsylvanian, Missourian Stage, Coffeyville Formation; approximately 7.5 km north of Coffeyville, Montgomery Co., Kansas; collected by B. Foreman 1975.

Physonemus striatus (Moore 1929)

KUVP 61 *Xystracanthus striatus* Moore n. sp.—Moore 1929: p. 242-243; pl. 40, fig. 4,5; holotype, spine.
Pennsylvanian; eastern Kansas.

Enterospira

KUVP 17851 Heteropolar "spiral coprolite"—Williams 1972: pl. 1; fig. 1; complete specimen.

KUVP 17852 Heteropolar "spiral coprolite"—Williams 1972: pl. 1; fig. 2; complete specimen.

KUVP 17853 Heteropolar "spiral coprolite"—Williams 1972: pl. 1; fig. 3; broken specimen.

KUVP 17854 Heteropolar "spiral coprolite"—Williams 1972: pl. 1; fig. 4; broken specimen.

KUVP 17855 Heteropolar "spiral coprolite"—Williams 1972: pl. 1; fig. 5; complete specimen.

KUVP 17856 Heteropolar "spiral coprolite"—Williams 1972: pl. 1; fig. 6; complete specimen.

KUVP 17857 Heteropolar "spiral coprolite"—Williams 1972: pl. 1; fig. 7; complete specimen.

KUVP 17858 Heteropolar "spiral coprolite"—Williams 1972: pl. 1; fig. 8; complete specimen.

KUVP 17859 Heteropolar "spiral coprolite"—Williams 1972: pl. 1; fig. 9; cross section.

KUVP 17860 Heteropolar "spiral coprolite"—Williams 1972: pl. 1; fig. 10; longitudinal section.

KUVP 17863 —Williams 1972: pl. 4, fig. 3-4; pl. 5, fig. 3; cross section 1.

—Williams 1972: pl. 5, fig. 2; cross section 5.

—Williams 1972: pl. 5, fig. 4; cross section 4.

—Williams 1972: pl. 7, fig. 4; cross section 7.

—Williams 1972: pl. 8, fig. 1; cross section 10.

—Williams 1972: pl. 8, fig. 2; cross section 2.

—Williams 1972: pl. 8, fig. 3; cross section 8.

—Williams 1972: pl. 8, fig. 4; cross section 12.

—Williams 1972: text-fig. 10-1; cross section 6.

KUVP 17866 —Williams 1972: pl. 6, fig. 1-2; cross section 10.

KUVP 17867 —Williams 1972: pl. 6, fig. 3-4; cross section 2.

—Williams 1972: pl. 7, fig. 1-2; cross section 4.

KUVP 17868 —Williams 1972: pl. 7, fig. 3; cross section 2.

Williams (1972) regards the "spiral coprolites" as enterospira of *Xenacanthus*.

- Lower Permian, Wolfcampian, Matfield Shale, lower 3 meters of the Wymore Shale Member; western side of roadcut 1.7 km south of junction Kansas Highway 177 with 113 in NE $\frac{1}{4}$, NW $\frac{1}{4}$, Sec. 35, T9S, R7E, Riley County, Kansas; collected by M. E. Williams 1969.
- KUVP 17862 —Williams 1972: pl. 2, fig. 2; section 8.
—Williams 1972: pl. 4, fig. 1-2; section 6.
The enterospira probably belongs to *Xenacanthus* as do the above cited specimens judging from "striking resemblance" (Williams 1972, p. 13).
Lower Permian, Wolfcampian; near Wichita Falls, Texas; collected by Kansas Geological Survey.
- KUVP 17864 —Williams 1972: pl. 5, fig. 1, cross section 10.
—Williams 1972: text-fig. 10-2; cross section 13.
The enterospira probably belongs to *Xenacanthus*.
Lower Permian, Wolfcampian, Wichita Group, Putnam Formation; near Bellevue, Clay Co., Texas; donated by A. S. Romer.
- KUVP 43074 Enterospira—Stewart, J. D. 1978: text-fig. 4-1; complete specimen.
KUVP 43073 Enterospira—Stewart, J. D. 1978: text-fig. 4-2; complete specimen.
KUVP 43071 Enterospira—Stewart, J. D. 1978: text-fig. 4-3; broken specimen.
KUVP 43072 Enterospira—Stewart, J. D. 1978: text-fig. 4-4; mounted cross section.
- KUVP 43068 Enterospira—Stewart, J. D. 1978: text-fig. 4-7; mounted cross section.
Enterospira—Stewart, J. D. 1979: text-fig. 5-3,4; mounted cross section.
- KUVP 43070 Enterospira—Stewart, J. D. 1978: text-fig. 5-1,2; mounted cross section.
Enterospira—Stewart, J. D. 1978: text-fig. 6-2,3,4; mounted cross section.
- KUVP 43069 Enterospira—Stewart, J. D. 1978: text-fig. 6-1; mounted cross section.
Assigned by J. D. Stewart 1978 to "small selachians previously undetected in the formation."
Upper Cretaceous, Coniacian, Niobrara Formation, Smoky Hill Chalk Member; E $\frac{1}{2}$, Sec. 27, T14S, R26W, Gove County, Kansas; collected by J. D. Stewart 1976.
- KUVP 17861 Spiral valve of *Squalus acanthias*—Williams, 1972: pl. 2, fig. 1; cross section 1.
—Williams, 1972: pl. 3, fig. 1; cross section 2.
—Williams, 1972: pl. 3, fig. 2,3,4; cross section 3.
Embryo.
Recent; locality unknown.

CLASS OSTEICHTHYES Howes 1894

Subclass Actinopterygii Klein 1885

Superorder Chondrostei Müller 1846

Order Palaeonisciformes Hay 1929

Family Palaeoniscidae Owen 1860

Cocconiscus White and Moy-Thomas 1940*Cocconiscus baldwini* Poplin 1974

- KUVP 55598 (12487-11-31)* *Cocconiscus baldwini* n.g., n. sp.—Poplin, 1974: p. 118; text-fig. 34; pl. 32; holotype, partial skull.
- KUVP 55600 (12688-12-12) *Cocconiscus baldwini* n.g., n. sp.—Poplin, 1974: text-fig. 47; pl. 33, fig. 4,5; pl. 40, fig. 2; paratype, upper and lower jaw.
- KUVP 55599 (12486-10-9) *Cocconiscus baldwini* n.g., n. sp.—Poplin, 1974: pl. 33, fig. 1,2,3; paratype, partial skull.
- KUVP 55603 (12698-22-69) *Cocconiscus baldwini* n.g., n. sp.—Poplin, 1974: pl. 34, fig. 1,2; cleithrum.
- KUVP 55601 (12695-19-5) *Cocconiscus baldwini* n.g., n. sp.—Poplin, 1974: text-fig. 39; pl. 34, fig. 3,4; maxillary.
- KUVP 55602 (12698-22-9) *Cocconiscus baldwini* n.g., n. sp.—Poplin, 1974: text-fig. 46; pl. 40, fig. 1; lower jaw.
- Upper Pennsylvanian, Douglas Group, Lawrence Formation, Haskell Limestone Member; Douglas County, Kansas (precise locality for every specimen see —).

Kansasiella Poplin 1975

(=*Kansasia* Poplin 1974)

Kansasiella eatoni (Poplin 1974)

(Type-species)

- KUVP 22070 *Elonichthys*?—Miller and Swineford 1957: pl. 2, figs. A,B; endocranium.
- Miller and Swineford 1957: specimens to pl. 1, figs. A-D, pl. 2, fig. C, pl. 3, fig. A,B,D could not be identified in the collection.
- KUVP 55611 (12992-31-8) *Kansasia eatoni* n.g., n. sp.—Poplin, 1974: p. 23; pl. 10; pl. 12; pl. 13; pl. 15, fig. 1; pl. 27, fig. 1,3; holotype endocranium.
- KUVP 55643 (12698-22-76) *Kansasia eatoni* n.g., n. sp.—Poplin, 1974: text-fig. 4; pl. 1, fig. 2; pl. 4, fig. 3; paratype, partial skull.
- KUVP 55641 (12995-33-8) *Kansasia eatoni* n.g., n. sp.—Poplin, 1974: pl. 2, fig. 1,2; paratype, maxillary and palatoquadrate.
- KUVP 55642 (12985-26-26) *Kansasia eatoni* n.g., n. sp.—Poplin, 1974: pl. 4, fig. 5; paratype, cleithrum.
- KUVP 55612 (12992-31-9) *Kansasia eatoni* n.g., n. sp.—Poplin, 1974: pl. 9, fig. 2,4; paratype, occipital part of endocranium.
- KUVP 55613 (12995-33-20) *Kansasia eatoni* n.g., n. sp.—Poplin, 1974: pl. 23, fig. 2,3; pl. 30, fig. 1,2; paratype, endocranium.
- KUVP 55614 (12684a-B-6) *Kansasia eatoni* n.g., n. sp.—Poplin, 1974: pl. 14; pl. 27, fig. 2; paratype, endocranium.
- KUVP 55616 (12695-19-106) *Kansasia eatoni* n.g., n. sp.—Poplin, 1974: pl. 15, fig. 3; pl. 19; pl. 28, fig. 1; paratype, endocranium.
- KUVP 55615 (12695-19-62) *Kansasia eatoni* n.g., n. sp.—Poplin, 1974: pl. 21, fig. 3,4; paratype, endocranium.
- KUVP 55649 (12696-20-1) *Kansasia eatoni* n.g., n. sp.—Poplin, 1974: text-fig. 5; pl. 1, fig. 1; frontal.
- KUVP 55645 (12692-16-12) *Kansasia eatoni* n.g., n. sp.—Poplin, 1974: pl. 3, fig. 1; preoperculum.
- KUVP 55644 (12692-16-6) *Kansasia eatoni* n.g., n. sp.—Poplin, 1974: pl. 3, fig. 2; preoperculum.

* Numbers in () are the published numbers of the specimens.

- KUVP 55651 (12987-26-45) *Kansasia eatoni* n.g., n. sp.—Poplin, 1974: pl. 3, fig. 3,4; maxillary.
- KUVP 55648 (12495-19-71) *Kansasia eatoni* n.g., n. sp.—Poplin, 1974: pl. 3, fig. 4; palatoquadrate.
- KUVP 55646 (12694-18-2) *Kansasia eatoni* n.g., n. sp.—Poplin, 1974: pl. 4, fig. 1; parasphenoid.
- KUVP 55647 (12695-19-42) *Kansasia eatoni* n.g., n. sp.—Poplin, 1974: pl. 4, fig. 2; parasphenoid.
- KUVP 55650 (12985-26-8) *Kansasia eatoni* n.g., n. sp.—Poplin, 1974: pl. 4, fig. 4; cleithrum.
- KUVP 55634 (12988-27-64) *Kansasia eatoni* n.g., n. sp.—Poplin, 1974: pl. 5, sections 157, 237, 313, 367; pl. 6, sections 441, 519, 579, 645 (error 12988-22-64) pl. 7, sections 665, 701, 729, 749; pl. 8, sections 825, 843, 855, 877 (error on page 21, 12988-67-64); endocranium.
- KUVP 55635 (12992-31-35) *Kansasia eatoni* n.g., n. sp.—Poplin, 1974: pl. 9, fig. 3; endocranium.
- KUVP 55640 (13357-35-26) *Kansasia eatoni* n.g., n. sp.—Poplin, 1974: pl. 11, endocranium.
- KUVP 55622 (12695-19-58) *Kansasia eatoni* n.g., n. sp.—Poplin, 1974: pl. 15, fig. 2; endocranium.
- KUVP 55626 (12697-D-3) *Kansasia eatoni* n.g., n. sp.—Poplin, 1974: pl. 16, fig. 1 (error 12697-D-8); pl. 29, fig. 1; endocranium.
- KUVP 55618 (12690-14-1) *Kansasia eatoni* n.g., n. sp.—Poplin, 1974: pl. 16, fig. 2; endocranium.
- KUVP 55633 (12988-27-32) *Kansasia eatoni* n.g., n. sp.—Poplin, 1974: pl. 17; endocranium.
- KUVP 55652 (13357-35-22) *Kansasia eatoni* n.g., n. sp.—Poplin, 1974: pl. 18, fig. 1,2; pl. 29, fig. 2; endocranium.
- KUVP 55638 (13361-39-7) *Kansasia eatoni* n.g., n. sp.—Poplin, 1974: pl. 18, fig. 3; endocranium.
- KUVP 55636 (12996-32-4) *Kansasia eatoni* n.g., n. sp.—Poplin, 1974: pl. 18, fig. 4; endocranium.
- KUVP 55631 (12987-26-86) *Kansasia eatoni* n.g., n. sp.—Poplin, 1974: pl. 20, fig. 1; endocranium.
- KUVP 55632 (12987-26-87) *Kansasia eatoni* n.g., n. sp.—Poplin, 1974: pl. 20, fig. 2; endocranium.
- KUVP 55617 (12687-11-10) *Kansasia eatoni* n.g., n. sp.—Poplin, 1974: pl. 20, fig. 3; endocranium.
- KUVP 55627 (12698-22-13) *Kansasia eatoni* n.g., n. sp.—Poplin, 1974: pl. 21, fig. 1,2; pl. 23, fig. 1; endocranium.
- KUVP 55624 (12695-19-84) *Kansasia eatoni* n.g., n. sp.—Poplin, 1974: pl. 22, fig. 1; pl. 30, fig. 3; endocranium.
- KUVP 55619 (12491-15-3) *Kansasia eatoni* n.g., n. sp.—Poplin, 1974: pl. 22, fig. 2; endocranium.
- KUVP 55639 (G1 [error G-11]) *Kansasia eatoni* n.g., n. sp.—Poplin, 1974: pl. 24; endocranium.
- KUVP 55637 (12995-33-17) *Kansasia eatoni* n.g., n. sp.—Poplin, 1974: pl. 25, fig. 1; endocranium.
- KUVP 55620 (12691-15-34) *Kansasia eatoni* n.g., n. sp.—Poplin, 1974: pl. 25, fig. 2; endocranium.

- KUVP 55629 (12987-26-72) *Kansasia eatoni* n.g., n. sp.—Poplin, 1974: pl. 25, fig. 3; pl. 28, fig. 2; endocranium.
 KUVP 55621 (12695-19-60) *Kansasia eatoni* n.g., n. sp.—Poplin, 1974: pl. 26, fig. 1; endocranium.
 KUVP 55625 (12695-19-112) *Kansasia eatoni* n.g., n. sp.—Poplin, 1974: pl. 26, fig. 2; endocranium.
 KUVP 55630 (12987-26-81) *Kansasia eatoni* n.g., n. sp.—Poplin, 1974: pl. 26, fig. 3; endocranium.
 KUVP 55628 (12698-22-44) *Kansasia eatoni* n.g., n. sp.—Poplin, 1974: pl. 26, fig. 4, pl. 28, fig. 3; endocranium.
 KUVP 55623 (12488-12-3) *Kansasia eatoni* n.g., n. sp.—Poplin, 1974: pl. 29, fig. 3; endocranium.

Upper Pennsylvanian, Douglas Group, Lawrence Formation, Haskell Limestone Member; Douglas County, Kansas (precise locality for every specimen see —).

Palaeoniscid indet.

- KUVP 56232 (12987-26-76) Palaeoniscid indet.—Poplin 1974: cf. text-fig. 46B; pl. 40, fig. 3; mandible.
 KUVP 56241 (12492-16-4) Palaeoniscid indet.—Poplin 1974: text-fig. 48; mandible.
 KUVP 56254 (12987-26-39) Palaeoniscid indet.—Poplin 1974: pl. 35, fig. 1; right frontal.
 KUVP 56115 (12985-24-33) Palaeoniscid indet.—Poplin 1974: pl. 35, fig. 2; right ceratohyal.
 KUVP 56243 (12985-24-15) Palaeoniscid indet.—Poplin 1974: pl. 35, fig. 3; right palatoquadrate.
 KUVP 56246 (12986-25-27) Palaeoniscid indet.—Poplin 1974: pl. 35, fig. 4; right palatoquadrate.
 KUVP 56249 (12987-26-36) Palaeoniscid indet.—Poplin 1974: pl. 35, fig. 5; left palatoquadrate.
 KUVP 56240 (13358-36-5) Palaeoniscid indet.—Poplin 1974: pl. 36, fig. 1,2; left mandible.
 KUVP 56227 (12987-26-16) Palaeoniscid indet.—Poplin 1974: pl. 36, fig. 3,4; left mandible.
 KUVP 56255 (12988-27-61) Palaeoniscid indet.—Poplin 1974: pl. 37, fig. 1; hyomandibula.
 KUVP 56234 (12988-27-53) Palaeoniscid indet.—Poplin 1974: pl. 37, fig. 4; mandible.
 KUVP 56257 (12994-32-8) Palaeoniscid indet.—Poplin 1974: pl. 39, fig. 1; scales.
 KUVP 56256 (12484-B-3) Palaeoniscid indet.—Poplin 1974: pl. 39, fig. 2; scale.
 KUVP 56158 (12994-32-10) Palaeoniscid indet.—Poplin 1974: pl. 39, fig. 3; scale.
 KUVP 56259 (12995-33-21) Palaeoniscid indet.—Poplin 1974: pl. 39, fig. 4,5; scale.

Upper Pennsylvanian, Douglas Group, Lawrence Formation, Haskell Limestone Member; Douglas County, Kansas (precise locality for every specimen, see —).

Palaeoniscoid B

- KUVP 56374 Palaeoniscoid B—Poplin 1981: text-fig. 1A-C, 3/4A; natural cast of endocranial cavity.
- KUVP 56371 Palaeoniscoid B—Poplin 1981: text-fig. 3/4B; natural cast of endocranial cavity.
- KUVP 56373 Palaeoniscoid B—Poplin 1981: text-fig. 3/4C; natural cast of endocranial cavity.
- KUVP 56372 Palaeoniscoid B—Poplin 1981: text-fig. 3/4D; natural cast of endocranial cavity.
- Upper Pennsylvanian, Douglas Group, Lawrence Formation, Haskell Limestone Member; Douglas County, Kansas (precise locality for every specimen, see —).

Localities for figured specimens of *Cocconiscus baldwini*, *Kansasella eatoni*, Palaeoniscoid B, and palaeoniscoids indet.:

- KUVP 55598, 55617 Sturdy Farm, 2 mi. NE of Baldwin, Douglas County, Kansas.
- KUVP 55599 3½ mi. East of Vinland, Douglas Co., Kansas.
- KUVP 55600, 55623 NW¼, Sec. 27, T14S, R20E, Douglas Co., Kansas.
- KUVP 55601, 55615, 55616, 55621, 55622, 55624, 55625, 55647, 55648 Palmyra Township, N and NE of Baldwin, Douglas Co., Kansas.
- KUVP 55602, 55603, 55627, 55628, 55643, 56371, 56372 NE¼, Sec. 21, T14S, R20E, Douglas Co., Kansas.
- KUVP 55611, 55612, 55635, 56374 Week's Farm, N of Baldwin, Douglas County, Kansas.
- KUVP 55613, 55637, 55641, 56259 NE¼, Sec. 27, T14S, R21E, Douglas Co., Kansas.
- KUVP 55614, 56256 East of Oak Hill Cemetery, Lawrence, Douglas Co., Kansas.
- KUVP 55619, 55620, 55639, 56240 Douglas Co., Kansas.
- KUVP 55618 McQueen Farm, NW of Baldwin, Douglas Co., Kansas.
- KUVP 55626 Road between Sec. 25 and 36, T13S, R19E, Douglas Co., Kansas.
- KUVP 55629, 55630, 55631, 55632, 56227, 56232, 56249, 56254 NW¼, Sec. 26, T14S, R20E, Douglas Co., Kansas.
- KUVP 55633, 55634, 56234, 56255 Sec. 16, T14S, R20E, Douglas Co., Kansas.
- KUVP 55636, 56257, 56258 SW¼, Sec. 13, T14S, R21E, Douglas Co., Kansas.
- KUVP 55638 Sec. 7, T14S, R21E, Douglas Co., Kansas.
- KUVP 55640, 55652 SW¼, Sec. 8, T14S, R21E, Douglas Co., Kansas.
- KUVP 55642, 55650, 56115, 56243 SE¼, Sec. 16, T14S, R20E, Douglas Co., Kansas.
- KUVP 55644, 55645, 56241 SE¼, Sec. 26, T14S, R20E, Douglas Co., Kansas.
- KUVP 55646 NW¼, Sec. 21, T14S, R20E, NE Queen Farm, Douglas Co., Kansas.
- KUVP 55649 Kelly Farm, NE of Baldwin, Douglas Co., Kansas.
- KUVP 56246 Al Andrew's Farm, East Road, Baldwin, Douglas Co., Kansas.
- KUVP 56373 NE of Baldwin, Douglas Co., Kansas.
- Collector: A. Bridwell, Baldwin, Kansas, in the years 1920-1940 and earlier; few specimens as early as 1893.

Superorder Neopterygii Regan 1923

Division Pycnodontiformes Berg 1940

The pycnodonts are clearly neopterygians (Patterson 1973), but they cannot be classified within any of the divisions of neoptery-

gians. Therefore, they are here provisionally elevated to Division rank until shown otherwise.

Family Pycnodontidae Owen 1846

Coelodus Heckel 1856

Coelodus brownii Cope 1894

- KUVP 55420 *Coelodus brownii* Cope—Williston 1900A: pl. 6, fig. 12; holotype.
Coelodus brownii Cope—Williston 1900B: pl. 24, fig. 12; holotype.
 Left prearticular.

Lower Cretaceous, Albian, Kiowa Formation; near Belvidere, Kiowa Co., Kansas; collected by N. C. Gould.

Coelodus stantoni Williston 1900

- KUVP 887 *Coelodus stantoni* Willist.—Williston 1900A: p. 28; pl. 6, fig. 11;
 pl. 8, fig. 6; holotype.
Coelodus stantoni Willist.—Williston 1900B: pl. 24, fig. 11; pl. 26,
 fig. 6; holotype.

Right prearticular.

Lower Cretaceous, Albian, Kiowa Formation; Kiowa Co., Kansas.

Coelodus streckeri Hibbard 1939

- KUVP 946 *Coelodus streckeri*, sp. nov.—Hibbard 1939: p. 373, pl. 41, fig. 1, 2;
 holotype.

Fossil Pycnodont teeth—Lane 1945: pl. 3 (=Hibbard 1939, pl. 41); holotype.

Vomer.

Upper Cretaceous, Turonian, Carlile Shale Fm., Fairport Chalk Mbr.; SE $\frac{1}{4}$, Sec. 19 or NE $\frac{1}{4}$, Sec. 30, T11S, R14W, 2 $\frac{1}{2}$ mi. south and $\frac{1}{2}$ mi. east of Paradise, Russell Co., Kansas; collected by Ernest Strecker 1938.

Micropycnodon Hibbard and Graffham 1945

Syn. *Pycnomicrodon* Hibbard and Graffham 1941

Micropycnodon kansasensis (Hibbard and Graffham 1941)
 (Type-species)

- KUVP 1019 *Pycnomicrodon kansasensis* sp. nov.—Hibbard and Graffham 1941:
 p. 72, text-fig. 1; pl. 1, fig. 1-4; holotype.

Micropycnodon kansasensis (Hibbard and Graffham)—Hibbard and Graffham 1945: p. 404 (new name).

Micropycnodon kansasensis (Hibbard and Graffham)—Dunkle and Hibbard 1946: pl. 9, fig. 1-4; holotype.

Anterior part of head.

Upper Cretaceous, Coniacian, Niobrara Fm., probably Smoky Hill Chalk Mbr. (published as Fort Hays Limestone Mbr.); Sec. 32, T7S, R19W, 1 mi. W of old Webster townsite, Rooks Co., Kansas; collected by Allen Graffham 1939.

- KUVP 7030 *Micropycnodon kansasensis* (Hibbard and Graffham)—Dunkle and Hibbard 1946: text-fig. 1-2, pl. 7+8; head and trunk.

Upper Cretaceous, Coniacian, Niobrara Fm., probably Smoky Hill Chalk Mbr. (published as Fort Hays Limestone Mbr.); Sec. 21, T13S, R21W, 5 mi. south and 4 $\frac{1}{2}$ mi. east of Ogallah, Trego Co., Kansas; collected by G. F. Sternberg ca. 1935.

Pycnomicrodon Hibbard and Graffham 1941
 see *Micropycnodon* Hibbard and Graffham 1945

Division Ginglymodi Cope 1872
 Family Lepisosteidae Cuvier 1825
Lepisosteus Lacépède 1803

- KUVP 36243 *Lepisosteus* sp.—Wiley and Stewart, J. D. 1977: text-fig. 1; frontal (figured), infraorbitals (figured), dermopalatines, coronoids, finrays, and scales.
 Upper Cretaceous, Coniacian, Niobrara Fm., Smoky Hill Chalk Mbr.; NE¼, Sec. 13, T14S, R25W, 8 mi. west and 3 mi. south of Trego Center, Trego Co., Kansas; collected by J. D. Stewart 1976.

Division Halecostomi Regan 1923
 Subdivision Halecomorphi Cope 1871
 Order Pachycormiformes Berg 1940
 Family Protosphyraenidae Nicholson and Lydekker 1889

- KUVP 414 *Protosphyraena* Leidy 1857
Protosphyraena bentoniana Stewart 1898
Protosphyraena bentonia, sp. nov. (typ. error)—Stewart, A. 1898A: pp. 27-28; pl. 1, fig. 2a,b; holotype.
Protosphyraena bentoniana Stewart—Stewart, A. 1900: pl. 58, fig. 2a,b; holotype.
 Rostrum.
 Upper Cretaceous, Cenomanian, Greenhorn Fm. (published as Lincoln Marble), Lincoln Limestone Mbr.; Rock Creek, Mitchell Co., Kansas; collected by S. W. Williston 1897.

Protosphyraena gladius (Cope 1873)
Protosphyraena gigas Stewart 1899C

The only contrasts that A. Stewart (1899C) made between *Protosphyraena gladius* and *P. gigas* is that the latter is probably larger, and its pectoral fin has a blunt anterior edge with more pronounced irregular notches. The holotype of *P. gigas* is much weathered, but the edge is not appreciably more blunt than those of weathered specimens of *P. gladius* from the Niobrara Formation. Both the size and the degree of notching of the edge are within the limits of variation that may be observed in specimens of *P. gladius* from the Smoky Hill Chalk.

- KUVP 338 *Protosphyraena gigas* sp. nov.—Stewart, A. 1899C: pp. 110-111; holotype.
Protosphyraena gigas Stewart—Stewart, A. 1900: pl. 62; holotype.
 Pectoral fin.

Upper Cretaceous, Campanian, Pierre Shale Fm. (published as Lisbon Shales, Fort Pierre Cretaceous), Sharon Springs Shale Mbr.; Sec. 8, T12S, R36W, one mile east of Lisbon, Logan Co., Kansas; collected by A. Stewart 1898.

- KUVP 1136 *Ichthyopriapus hubbsi* gen. et sp. nov.—Hibbard 1942: text-fig. 1-4; holotype, ? bone.
 This element belongs to specimen KUVP 465, *Protosphyraena gladius* (see page —).
 Upper Cretaceous, Santonian or Campanian, Niobrara Fm., Smoky

Hill Chalk Mbr.; Logan Co., Kansas; collected by G. Sternberg
?1912.

Protosphyraena occidentalis Stewart 1900
see *Protosphyraena* sp.

Protosphyraena penetrans (Cope 1877)
see *Protosphyraena* sp. and *Protosphyraena tenuis* Loomis

Protosphyraena pernicosa (Cope 1874)

KUVP 56614 *Protosphyraena*—McClung 1908: text-fig. 9; pectoral fins and
girdle.

Upper Cretaceous, Coniacian, Niobrara Fm., Smoky Hill Chalk
Mbr.; Sec. 10, T14S, R26W, north of Neuenschwander's ranch,
Trego Co., Kansas; collected by C. E. McClung.

Protosphyraena recurvirostris Stewart 1898D

KUVP 373 *Protosphyraena recurvirostris* sp. nov.—Stewart, A. 1898D: pp.
191-194; text-fig. 1; holotype.

Protosphyraena recurvirostris—Stewart, A. 1900: text-fig. on p.
366; holotype.

Rostrum.

Upper Cretaceous, Senonian, Niobrara Fm., Smoky Hill Chalk
Mbr.; Gove Co., Kansas.

Protosphyraena sp.

KUVP ? *Protosphyraena*, sp. nov.—Stewart, A. 1898A: p. 28; pl. 1, fig. 1a,b.
Protosphyraena, n. sp.?—Stewart, A. 1900: pp. 368-369.

Protosphyraena occidentalis Stewart—Stewart, A. 1900: pl. 58,
fig. 1a,b.

Not relocated.

Upper Cretaceous, Senonian, Niobrara Fm., Smoky Hill Chalk
Mbr.; western Kansas.

KUVP 413 *Protosphyraena penetrans*—Stewart, A. 1900: text-fig. on p. 369;
rostrum (mistakenly listed as No. 372).

Upper Cretaceous, Senonian, Niobrara Fm., Smoky Hill Chalk
Mbr.; western Kansas.

KUVP 56613 *Protosphyraena*—McClung 1908: text-fig. 10; pectoral girdle.

Upper Cretaceous, Senonian, Niobrara Fm., Smoky Hill Chalk
Mbr.; western Kansas.

KUVP 55500 *Protosphyraena*—McClung 1908: pl. 13; tail.

Upper Cretaceous, Santonian, Niobrara Fm., Smoky Hill Chalk
Mbr.; southwest of Gove City, Gove Co., Kansas.

See also *Protosphyraena pernicosa* (Cope).

Protosphyraena tenuis Loomis 1900

KUVP 380 *Protosphyraena penetrans*(?)—Stewart, A. 1900: pl. 63, fig. 1;
pectoral fin.

KUVP 385 *Protosphyraena penetrans*(?)—Stewart, A. 1900: pl. 63, fig. 2;
pectoral fin.

KUVP 13587 *Protosphyraena penetrans*(?)—Stewart, A. 1900: pl. 63, fig. 3;
pectoral fin.

KUVP 380, 385, 13587 Upper Cretaceous, Senonian, Niobrara Fm., Smoky Hill
Chalk Mbr.; western Kansas.

- KUVP 384 *Protosphyraena penetrans*(?)—Stewart, A. 1900: pl. 63, fig. 4; pectoral fin.
Upper Cretaceous, Coniacian or Santonian, Niobrara Fm., Smoky Hill Chalk Mbr.; Trego Co., Kansas.
- Order Aspidorhynchiformes Berg 1940
Family Aspidorhynchidae Nicholson and Lydekker 1889
Belonostomus Agassiz 1834
- KUVP 36120 *Belonostomus* sp.—Whetstone, 1978: fig. 8; prementary.
Upper Cretaceous, Santonian?, Eutaw Fm., Tombigbee Sand Mbr.; S½, Sec. 22, T16N, R17E, across from old H. & R. point depot, Montgomery Co., Alabama; collected by K. N. Whetstone 1976.
- Subdivision Teleostei Müller 1846
Order Ichthyodectiformes Bardack and Sprinkle 1969
Suborder Ichthyodectoidei Romer 1966
Family Ichthyodectidae Crook 1892
Gillicus Hay 1898
Gillicus arcuatus (Cope 1875)
- KUVP 138 *Ichthyodectes* or *Gillicus*—Stewart, A. 1900: pl. 49, fig. 4; neurocranium.
Upper Cretaceous, Senonian, Niobrara Fm., Smoky Hill Chalk Mbr.; western Kansas.
- KUVP 129 *Gillicus arcuatus* Cope—Stewart, A. 1900: pl. 52, fig. 1,2,7,8; jaws cranium, and opercular elements.
Upper Cretaceous, Santonian or Campanian, Niobrara Fm., Smoky Hill Chalk Mbr.; Logan Co., Kansas; collected by H. T. Martin.
- KUVP 130 *Gillicus arcuatus* Cope—Stewart, A. 1900: pl. 52, fig. 3 and 6; left mandible, ceratohyal.
Upper Cretaceous, Santonian or Campanian, Niobrara Fm., Smoky Hill Chalk Mbr.; 12 mi S Russell Springs, Logan Co., Kansas; collected by A. Stewart 1898.
- KUVP 136 *Gillicus arcuatus* Cope—Stewart, A. 1900: pl. 52, fig. 4,5; left dentary.
Gillicus arcuatus (Cope)—Bardack 1965B: text-fig. 20B; left dentary.
Upper Cretaceous, Senonian, Niobrara Fm., Smoky Hill Chalk Mbr.; western Kansas.
- KUVP ? *Gillicus arcuatus* Cope—Stewart, A. 1900: pl. 52, fig. 9,10; not relocated.
- KUVP ? *Gillicus arcuatus* Cope—Stewart, A. 1900: pl. 53; not relocated.
- KUVP 210 *Gillicus arcuatus*(?) Cope—Stewart, A. 1900: pl. 54; four caudal vertebrae and tail.
Upper Cretaceous, Senonian, Niobrara Fm., Smoky Hill Chalk Mbr.; western Kansas.
- KUVP 143 *Hypsodon audax* (Leidy) Cockerell—Cockerell 1919: pl. 33, fig. 1,2; figured as No. 127.
Gillicus arcuatus (Cope)—Bardack 1965B: text-fig. 13D.
Skull, pectoral fins, and scales.
Upper Cretaceous, Senonian, Niobrara Fm., Smoky Hill Chalk Mbr.; western Kansas.

- KUVP ? *Gillicus*—McClung 1908: text-fig. 8; not relocated.
- KUVP 127 *Gillicus arcuatus* (Cope)—Bardack 1965B: text-fig. 13C; neurocranium and jaws, scales.
Upper Cretaceous, Senonian, Niobrara Fm., Smoky Hill Chalk Mbr.; western Kansas.
- KUVP 59312 *Gillicus arcuatus* (Cope)—Bardack 1965B: text-fig. 17 based on this specimen and KUVP 480; published as No. 03; neurocranium, palatine, frontal 4 vertebrae.
Upper Cretaceous, Coniacian, Niobrara Fm., Smoky Hill Chalk Mbr.; W. of Banner, Gove Co., Kansas; collected by H. T. Martin 1900.
- KUVP 480 *Gillicus arcuatus* (Cope)—Bardack 1965B: text-fig. 17 based on this specimen and KUVP 59312; not relocated.
- KUVP 56647 *Gillicus arcuatus* (Cope)—Bardack 1965B: text-fig. 18 based partly on this specimen; text-fig. 19 based on this specimen and KUVP 11679; published as No. 965; neurocranium.
Upper Cretaceous, Santonian or Campanian, Niobrara Fm., Smoky Hill Chalk Mbr.; Elkader, Logan Co., Kansas; collected by H. T. Martin 1910.
- KUVP 11679 *Gillicus arcuatus* (Cope)—Bardack 1965B: text-fig. 19 based on this specimen and KUVP 56647; neurocranium, maxillae, pectoral girdle, vertebrae.
Upper Cretaceous, Senonian, Niobrara Fm., Smoky Hill Chalk Mbr.; western Kansas.
- KUVP 11680 *Gillicus arcuatus* (Cope)—Bardack 1965B: text-fig. 20A; jaws, cranial, and opercular elements.
Upper Cretaceous, Senonian, Niobrara Fm., Smoky Hill Chalk Mbr.; western Kansas.
- KUVP 346 *Gillicus arcuatus* (Cope)—Bardack 1965B: text-fig. 21; pectoral girdles and fins.
Upper Cretaceous, Coniacian, Niobrara Fm., Smoky Hill Chalk Mbr.; W $\frac{1}{2}$, Sec. 3 and E $\frac{1}{2}$, Sec. 4, T24S, R25W, 2 mi. SE of Banner, Trego Co., Kansas; collected by H. T. Martin 1910.

Ichthyodectes Cope 1870*Ichthyodectes acanthicus* Cope 1877see *Ichthyodectes ctenodon* Cope 1870*Ichthyodectes anaides* Cope 1972see *Ichthyodectes ctenodon* Cope 1870*Ichthyodectes cruentis* Hay 1898see *Ichthyodectes ctenodon* Cope 1870*Ichthyodectes ctenodon* Cope 1870

- KUVP ? *Ichthyodectes hamatus*—Stewart, A. 1900: pl. 47B, fig. 2; not relocated.
- KUVP 117 *Ichthyodectes anaides* Cope—Stewart, A. 1900: pl. 49, fig. 1; neurocranium, and 2 vertebrae.
Upper Cretaceous, Senonian, Niobrara Fm., Smoky Hill Chalk Mbr.; western Kansas; collected by E. P. West.
- KUVP 88 *Ichthyodectes anaides* Cope—Stewart, A. 1900: pl. 49, fig. 2a,b; mandibles and right maxilla.

- Upper Cretaceous, Senonian, Niobrara Fm., Smoky Hill Chalk Mbr.; western Kansas; collected by E. P. West.
- KUVP 97 *Ichthyodectes anaides* Cope—Stewart, A. 1900: pl. 49, fig. 3; hyomandibular and jaw fragments.
- Upper Cretaceous, Senonian, Niobrara Fm., Smoky Hill Chalk Mbr.; western Kansas; collected by E. P. West.
- KUVP 125 *Ichthyodectes ctenodon* ? Cope—Stewart, A. 1900: pl. 49, fig. 5-7; block containing mandibles, maxillae, quadrate, operculum, vertebrae.
- Upper Cretaceous, Santonian or Campanian, Niobrara Fm., Smoky Hill Chalk Mbr.; 6 mi NE Russell Springs, Logan Co., Kansas; collected by J. W. Beede and A. Stewart 1898.
- KUVP 78 *Ichthyodectes hamatus* Cope—Stewart, A. 1900: pl. 50, fig. 1-6; maxillae, neurocranium, parasphenoid, ethmoid, quadrate, and vertebrae.
- Upper Cretaceous, Campanian, Niobrara Fm., Smoky Hill Chalk Mbr.; NE¼, Sec. 1, T15S, R37W, Twin Buttes, Logan Co., Kansas; collected by J. W. Beede and A. Stewart 1898.
- KUVP 97 *Ichthyodectes cruentis* Hay—Stewart, A. 1900: pl. 50, fig. 7-9; dentaries, maxillae and right premaxilla.
- Upper Cretaceous, Coniacian or Santonian, Niobrara Fm., Smoky Hill Chalk Mbr.; Smoky Hill River, Gove Co., Kansas; collected by E. P. West.
- KUVP 118 *Ichthyodectes acanthicus*(?) Cope—Stewart, A. 1900: pl. 51, fig. 1-4; syntype of *I. parvus* mandibles, right maxilla.
- Upper Cretaceous, Senonian, Niobrara Fm., Smoky Hill Chalk Mbr.; Gove Co., Kansas; collected by T. R. Overton.
- KUVP ? *Ichthyodectes acanthicus*(?)—Stewart, A. 1900: pl. 51, fig. 5-9; not relocated.
- KUVP 102 *Ichthyodectes acanthicus*(?) Cope—Stewart, A. 1900: pl. 51, fig. 9a-d,10; syntype of *I. parvus*, mandibles, pectoral fin rays, and pelvic actinosts.
- Upper Cretaceous, Senonian, Niobrara Fm., Smoky Hill Chalk Mbr.; western Kansas.
- Regarding KUVP 118 and 102, A. Stewart 1900 writes (p. 302) "If they prove not to be this, I would propose the name *Ichthyodectes parvus* for them." Therefore they are cited here as syntypes of *I. parvus*.
- KUVP ? *Ichthyodectes ctenodon*—Stewart, A. 1900: pl. 51, fig. 12, 13; not relocated.
- KUVP 11663 *Ichthyodectes ctenodon* Cope—Bardack 1965B: text-fig. 13E; not relocated.
- KUVP 11662 *Ichthyodectes ctenodon* Cope—Bardack 1965B: text-fig. 14 based partly on this specimen; cranium, pectoral fin and girdle.
- Upper Cretaceous, Senonian, Niobrara Fm., Smoky Hill Chalk Mbr.; western Kansas.
- KUVP 357 *Ichthyodectes ctenodon* Cope—Bardack 1965B: text-fig. 16 based on this specimen; not relocated.

Ichthyodectes hamatus Cope 1872
see *Ichthyodectes ctenodon* Cope 1870

Ichthyodectes parvus A. Stewart 1900
see *Ichthyodectes ctenodon* Cope 1870

Portheus Cope 1871
see *Xiphactinus* Leidy 1870

Xiphactinus Leidy 1870
Xiphactinus audax Leidy 1870

- KUVP 248 *Portheus Lowii* sp. nov.—Stewart, A. 1898A: p. 24; pl. 2, fig. 2; holotype.
Xiphactinus lowii Stewart—Stewart, A. 1900: pl. 48, fig. 2; holotype.
Mandibles.
Upper Cretaceous, Turnonian, Greenhorn Limestone Fm.; Fairbury, Jefferson Co., Nebraska; collected by M. A. Low.
- KUVP 59013 *Xiphactinus audax* Leidy—Stewart, A. 1898B: pl. 7; figured as No. 287.
Xiphactinus audax Leidy—Stewart, A. 1900: pl. 37, pl. 41; figured as No. 287.
Mandible, left maxilla, cleithrum.
Upper Cretaceous, Senonian, Niobrara Fm., Smoky Hill Chalk Mbr.; western Kansas.
- KUVP ? *Xiphactinus audax* Leidy—Stewart, A. 1898B: pl. 7; figured as 179.
Xiphactinus audax Leidy—Stewart, A. 1900: pl. 37; figured as 179.
Not relocated.
- KUVP 477 *Xiphactinus audax* Leidy—Stewart, A. 1900: pl. 7; figured as No. 275.
Xiphactinus audax Leidy—Stewart, A. 1900: pl. 37, pl. 41; figured as No. 275.
Left mandible, left maxilla, palatine, cleithrum, five vertebrae.
Upper Cretaceous, Senonian, Niobrara Fm., Smoky Hill Chalk Mbr.; western Kansas.
- KUVP 59357 *Xiphactinus audax* Leidy—Stewart, A. 1898B: pl. 7; figured as No. 04.
Xiphactinus audax Leidy—Stewart, A. 1900: pl. 37, pl. 41; figured as No. 04.
Xiphactinus—McClung, 1908: fig. 3.
Neurocranium, maxilla, mandible, left pectoral girdle, vertebrae.
Upper Cretaceous, Senonian, Niobrara Fm., Smoky Hill Chalk Mbr.; western Kansas; collected by E. P. West.
- KUVP 175 *Xiphactinus audax* Leidy—Stewart, A. 1898B: pl. 7; figured as No. 266.
Xiphactinus audax Leidy—Stewart, A. 1900: pl. 37, pl. 41; figured as No. 266.
Maxillae, premaxilla, cleithrum.
- KUVP 163 *Xiphactinus audax* Leidy—Stewart, A. 1898B: pl. 7, figured as No. 353.
Xiphactinus audax Leidy—Stewart, A. 1900: pl. 37, pl. 41; figured as No. 353.
Mandibles, right maxilla, right premaxilla, palatine, seven vertebrae.

- KUVP 163, 175 Upper Cretaceous, Senonian, Niobrara Fm., Smoky Hill Chalk Mbr.; western Kansas.
- KUVP 155 probably *Xiphactinus lestero* (typ. error)—Stewart, A. 1898B: pl. 8; figured as No. 155.
Xiphactinus brachygnathus sp. nov.—Stewart, A. 1899C: pp. 107-109; holotype.
Xiphactinus audax Leidy—Stewart, A. 1900: pl. 38; figured as No. 155.
Xiphactinus brachygnathus Stewart 1899—Stewart, A. 1900: pl. 45B, fig. 3,4.
 Neurocranium and jaws.
 Upper Cretaceous, Turonian, Carlile Shale Fm., Fairport Chalk Mbr.; 4 mi. N of Gorham, Russell Co., Kansas; collected by B. F. Mudge.
- KUVP 166 *Xiphactinus audax* Leidy—Stewart, A. 1898B: pl. 8; figured as No. 02.
Xiphactinus audax Leidy—Stewart, A. 1900: pl. 36, fig. 2; pl. 38, pl. 41 (figured as No. 02); pl. 42, fig. 5; pl. 46, fig. 11-12.
 Neurocranium, hyomandibular, palatine, sclerotics, maxilla, premaxilla, mandibles, cleithrum, pectoral rays, and 35 vertebrae.
- KUVP 165 *Xiphactinus audax* Leidy—Stewart, A. 1898B: pl. 9; figured as No. 01.
Xiphactinus audax Leidy—Stewart, A. 1900: pl. 39, pl. 41 (figured as No. 01); pl. 42, fig. 6.
 Neurocranium, hyomandibular, maxilla, premaxillae, cleithrum, pelvic actinosts, and 75 vertebrae.
- KUVP 168 *Xiphactinus audax* Leidy—Stewart, A. 1898B: pl. 9; figured as No. 88.
Xiphactinus—Stewart, A. 1899A: pl. 10, fig. 2,3; pl. 11, fig. 1-5.
Xiphactinus audax Leidy—Stewart, A. 1900: pl. 36, fig. 3; pl. 39; pl. 41 (figured as No. 88); pl. 42, fig. 4,7; pl. 43, fig. 2,3; pl. 44, fig. 1-5; pl. 46, fig. 6,7; pl. 47A, fig. 6,7a,b,9; pl. 47B, fig. 1.
Xiphactinus—McClung 1908: text-fig. 2.
Xiphactinus audax Leidy—Bardack 1965B: text-fig. 11.
 Majority of skeleton.
- KUVP 183 *Xiphactinus audax* Leidy—Stewart, A. 1898B: pl. 10; figured as No. 03.
Xiphactinus audax Leidy—Stewart, A. 1899A: pl. 10, fig. 1.
Xiphactinus audax Leidy—Stewart, A. 1900: pl. 40 (erroneously labelled *X. brachygnathus*), pl. 41 (figured as No. 03); pl. 43, fig. 1; pl. 45A, fig. 1,2; pl. 46, fig. 1-5.
Xiphactinus—McClung 1908: text-fig. 7.
Xiphactinus audax Leidy—Bardack 1965B: text-fig. 12.
 Neurocranium, maxillae, premaxilla, palatine, operculum, preoperculum, left mandible, cleithrum, pectoral fin rays, vertebrae (right mandible not found).
- KUVP 165, 166, 168, 183 Upper Cretaceous, Senonian, Niobrara Fm., Smoky Hill Chalk Mbr.; western Kansas; collected by E. P. West.
- KUVP 234 *Xiphactinus audax* Leidy—Stewart, A. 1898B: pl. 10, figured as No. 301.
Xiphactinus audax Leidy—Stewart, A. 1900: pl. 40 (erroneously

- labelled *X. brachygnathus*), pl. 41; figured as No. 301.
 Maxillae, premaxillae, left dentary, 7 vertebrae.
 Upper Cretaceous, cited as from Niobrara Fm., but Carlile Shale Fm., Fairport Mbr., more probable; western Kansas.
- KUVP 236 *Xiphactinus audax* Leidy—Stewart, A. 1898B: pl. 10; figured as No. 314.
Xiphactinus audax Leidy—Stewart, A. 1900: pl. 40; figured as No. 314.
Xiphactinus—McClung 1908: text-fig. 4.
 Right mandible.
 Upper Cretaceous, Senonian, Niobrara Fm., Smoky Hill Chalk Mbr.; western Kansas.
- KUVP 320 *Xiphactinus audax* Leidy—Stewart, A. 1900: pl. 33.
Xiphactinus audax Leidy—Bardack 1965B: text-fig. 9 based on this specimen and KUVP 103.
 Complete cranium and mandibles.
 Upper Cretaceous, Santonian or Campanian, Niobrara Fm., Smoky Hill Chalk Mbr.; Logan Co., Kansas; collected by E. P. West 1890.
- KUVP ? *Xiphactinus audax* Leidy—Stewart, A. 1900: pl. 34,35; not relocated.
- KUVP ? *Xiphactinus audax* Leidy—Stewart, A. 1900: pl. 36, fig. 1; not relocated.
- KUVP ? *Xiphactinus audax* Leidy—Stewart, A. 1900: pl. 41; figured as 341; not relocated.
- KUVP ? *Xiphactinus audax* Leidy—Stewart, A. 1900: pl. 41; figured as 127; not relocated.
- KUVP 176 *Xiphactinus audax* Leidy—Stewart, A. 1900: pl. 41; figured as No. 132; left maxilla.
 Upper Cretaceous, Senonian, Niobrara Fm., Smoky Hill Chalk Mbr.; Gove Co., Kansas; collected by Cooper.
- KUVP 240 *Xiphactinus audax* Leidy—Stewart, A. 1900: pl. 41; figured as No. 12; mandibles, maxillae, right premaxilla, quadrate.
 Upper Cretaceous, Senonian, Niobrara Fm., Smoky Hill Chalk Mbr.; western Kansas.
- KUVP ? *Xiphactinus audax* Leidy—Stewart, A. 1900: pl. 42, fig. 1-3; not relocated.
- KUVP 169 *Xiphactinus audax* Leidy—Stewart, A. 1900: pl. 46, fig. 8,9; pectoral fin radial.
- KUVP 59361 *Xiphactinus audax* Leidy—Stewart, A. 1900: pl. 46, fig. 10; pectoral fin, radials, and fragment of ray.
- KUVP 169, 59361 Upper Cretaceous, Senonian, Niobrara Fm., Smoky Hill Chalk Mbr.; western Kansas.
- KUVP ? *Xiphactinus audax* Leidy—Stewart, A. 1900: pl. 47A, fig. 1-5,8; not relocated.
- KUVP 103 *Xiphactinus*—McClung 1908: pl. 12.
Xiphactinus—Lane 1945: pl. 4.
Xiphactinus audax Leidy—Bardack 1965B: text-fig. 9 based on this specimen and KUVP 320.
Xiphactinus audax—Cavender 1966: pl. 1.
 Composite skeleton.

- Upper Cretaceous, Senonian, Niobrara Fm., Smoky Hill Chalk Mbr.; western Kansas.
- KUVP ? *Xiphactinus*—McClung 1908: text-fig. 5,6; pl. 10; not relocated.
- KUVP 59381 *Xiphactinus audax* Leidy—Bardack 1965B: text-fig. 5,6, based on this specimen and KUVP 124; figured as No. 262; neurocranium. Upper Cretaceous, Senonian, Niobrara Fm., Smoky Hill Chalk Mbr.; western Kansas.
- KUVP 124 *Xiphactinus audax* Leidy—Bardack 1965B: text-fig. 6 based on this specimen and KUVP 59381; not relocated.
- KUVP 59395 *Xiphactinus audax* Leidy—Bardack 1965B: text-fig. 7,8 based on this specimen; figured erroneously as KUVP 738 (= *Gillicus* specimen), former correct number KUVP 773.
- KUVP 116 *Xiphactinus audax* Leidy—Bardack 1965B: text-fig. 10; not relocated.
- KUVP 59374 *Xiphactinus audax* Leidy—Bardack 1965B: text-fig. 13A; figured as No. 238; quadrates, pectoral fin, vertebrae, ribs.
- KUVP 59374, 59395 Upper Cretaceous, Senonian, Niobrara Fm., Smoky Hill Chalk Mbr.; western Kansas.
- KUVP 11661 *Xiphactinus audax* Leidy—Bardack 1965B: text-fig. 13B; cranium and vertebrae. Upper Cretaceous, Senonian, Niobrara Fm., Smoky Hill Chalk Mbr.; western Kansas.
- Xiphactinus brachygnathus* A. Stewart 1899C
see *Xiphactinus audax* Leidy 1870
- Xiphactinus lowii* A. Stewart 1898A
see *Xiphactinus audax* Leidy 1870
- Ichthyodectidae gen. et sp. indet.
- KUVP 56642 *Ichthyodectes acanthicus*(?) Cope—Stewart, A. 1900: pl. 51, fig. 11; 7 caudal vertebrae. Upper Cretaceous, Senonian, Niobrara Fm., Smoky Hill Chalk Mbr.; western Kansas; collected by R. Foster 1878.
- KUVP 56646 "*Gillicus arcuatus*"—Cavender 1966: fig. 2; caudal skeleton; figured as KUVP 947. Upper Cretaceous, Santonian or Campanian, Niobrara Fm., Smoky Hill Chalk Mbr.; Elkader, Logan Co., Kansas; collected by H. T. Martin 1910.
- Family Saurocephalidae Cope 1871
- Daptinus* Cope 1873
- Daptinus broadheadi* Stewart 1898
see *Saurodon leanus* Hays 1830
- Saurocephalus* Harlan 1824
- Saurocephalus dentatus* Stewart 1898A
see *Saurocephalus lanciformis* Harlan 1824
- Saurocephalus lanciformis* Harlan 1824
- KUVP 154 *Saurocephalus dentatus*, sp. nov.—Stewart, A. 1898A: pp. 25-26; pl. 1, fig. 3a-c, 4a-b; holotype. *Saurocephalus dentatus* Stewart—Stewart, A. 1900: pl. 58, fig. 3a-c, 4a-b; holotype.

Left maxilla, premaxilla, mandible, prementary, 8 vertebrae.
Upper Cretaceous, Campanian, Niobrara Fm., Smoky Hill Chalk
Mbr.; Wallace Co., Kansas; collected by E. P. West.

Saurodon Hays 1830

Saurodon broadheadi (A. Stewart 1898)

see *Saurodon leanus* Hays 1830

Saurodon ferox A. Stewart 1898

see *Saurodon leanus* Hays 1830

Saurodon leanus Hays 1830

KUVP 212 *Daptinus broadheadi*, sp. nov.—Stewart, A. 1898A: pp. 24-25;
pl. 2, fig. 1a-c; holotype.

Saurodon broadheadi Stewart—Stewart, A. 1900: pl. 48, fig. 1a-c;
holotype.

Maxilla, prementary.

Upper Cretaceous, Campanian, Niobrara Fm., Smoky Hill Chalk
Mbr.; Wallace Co., Kansas; collected by G. W. Cooper.

KUVP 161 *Saurodon xiphrostris* sp. nov.—Stewart, A. 1898C: pp. 178-183;
pl. 14; holotype.

Saurodon xiphrostris Stewart—Stewart, A. 1900: pl. 55; holotype.

Complete skull, mandibles, pectoral girdle.

Saurodon leanus Hays—Bardack and Sprinkle 1969: text-fig. 5
based primarily on this specimen and KUVP 343.

Upper Cretaceous, Coniacian or Santonian, Niobrara Fm., Smoky
Hill Chalk Mbr.; Gove Co., Kansas; collected by H. M. McDowell.

Not deposited in our collection; returned to collector:

Saurodon ferox sp. nov.—Stewart, A. 1898C: pl. 15, fig. 1-8; pl. 16,
fig. 1-3; cotype.

Saurodon ferox Stewart—Stewart, A. 1900: pl. 56, fig. 1-8; pl. 57,
fig. 1-3; cotype.

Jaws, quadrate, ceratohyal, vertebra, pectoral fin rays.

Upper Cretaceous, Senonian, Niobrara Fm., Smoky Hill Chalk
Mbr.; western Kansas; collected by W. O. Bourn.

KUVP 28713 *Saurodon Phlebotomus* Cope—Stewart, A. 1898C: pl. 16, fig. 4-5.

Saurodon phlebotomus Cope—Stewart, A. 1900: pl. 57, fig. 4-5.

Mandibles, right maxilla.

Upper Cretaceous, Campanian, Niobrara Fm., Smoky Hill Chalk
Mbr.; Wallace Co., Kansas; collected by Cooper.

KUVP 343 *Saurodon leanus* Hays—Bardack and Sprinkle 1969: text-fig. 5
based primarily on this specimen and KUVP 161; complete
skull.

Upper Cretaceous, Senonian, Niobrara Fm., Smoky Hill Chalk
Mbr.; western Kansas.

Saurodon xiphrostris A. Stewart 1898C

see *Saurodon leanus* Hays 1830

Order Osteoglossiformes Greenwood 1963

Suborder Osteoglossoidei Greenwood 1963

Family Plethodidae Loomis 1900

Ananogmius White and Moy-Thomas 1940

see *Bananogmius* Whitley 1940

Anogmius Cope 1877 (not *Anogmius* Cope 1871)
see *Bananogmius* Whitley 1940

Anogmius evolutus Cope 1877
see *Bananogmius evolutus* (Cope 1877)

Anogmius polymicrodus A. Stewart 1899D
see *Bananogmius evolutus* (Cope 1877)

Bananogmius Whitley 1940
Bananogmius evolutus (Cope 1877)

- KUVP ? *Beryx polymicrodus* sp. nov.—Stewart, A. 1898D: p. 195; no holotype designated, no specimen matching the description could be found; designated type = *Squalicorax* elements.
- KUVP 308 *Beryx multidentatus* sp. nov.—Stewart, A. 1898D: p. 196; no holotype designated, KUVP 308 matches the description, therefore considered as holotype.
- Anogmius evolutus* Cope—Stewart, A. 1900: pl. 65, fig. 7; pl. 67, “den, pal, mx.”
Left palatine, left maxilla, left mandible (unnumbered bone at bottom center of pl. 67 not found).
Upper Cretaceous, Senonian, Niobrara Fm., Smoky Hill Chalk Mbr.; Gove Co., Kansas.
- KUVP 02 *Anogmius polymicrodus* Stewart—Stewart, A. 1899D: pl. 31.
Anogmius polymicrodus Stewart—Stewart, A. 1900: pl. 64.
Complete skeleton.
Upper Cretaceous, Santonian or Campanian, Niobrara Fm., Smoky Hill Chalk Mbr.; Logan Co., Kansas; collected by Travis Morse.
- KUVP 12083 *Anogmius polymicrodus* Stewart—Stewart, A. 1900: pl. 65, fig. 1; partial cranium and vertebrae.
Upper Cretaceous, Santonian, Niobrara Fm., Smoky Hill Chalk Mbr.; Indian Creek, Gove Co., Kansas.
- KUVP ? *Anogmius polymicrodus* Stewart—Stewart, A. 1900: pl. 65, fig. 2a,b,3a,b,4,5,6; not relocated.
- KUVP 06 *Anogmius evolutus* Cope—Stewart, A. 1900: pl. 65, fig. 8-10; ceratohyal and three unidentified elements.
Upper Cretaceous, Senonian, Niobrara Fm., Smoky Hill Chalk Mbr.; western Kansas; collected by E. P. West.
- KUVP 16 *Anogmius polymicrodus* Stewart—Stewart, 1900A: pl. 66; tail.
Upper Cretaceous, Senonian, Niobrara Fm., Smoky Hill Chalk Mbr.; western Kansas; collected by E. P. West.
- KUVP 11 *Anogmius polymicrodus* Stewart—Stewart, A. 1900: pl. 67 “phar” “a”; glossohyal and parasphenoid.
Unlabeled element (center) not relocated.
Upper Cretaceous, Senonian, Niobrara Fm., Smoky Hill Chalk Mbr.; western Kansas.
- KUVP 273 *Anogmius polymicrodus* Stewart—Jordan 1924: pl. 13, fig. 1; tail.
Upper Cretaceous, Senonian, Niobrara Fm., Smoky Hill Chalk Mbr.; western Kansas.
- KUVP 14 *Anogmius polymicrodus*—Jordan 1924: pl. 13, fig. 2,3; jaws and ceratohyal, published as No. 283.

Upper Cretaceous, Senonian, Niobrara Fm., Smoky Hill Chalk Mbr.; western Kansas.

Luxilites Jordan 1924

Luxilites striolatus Jordan 1924

(Type-species)

- KUVP 295 *Luxilites striolatus* Jordan, new genus, new species—Jordan 1924: p. 227; pl. 17; figured as No. 296; holotype, head and trunk. Upper Cretaceous, Coniacian, Niobrara Fm., Smoky Hill Chalk Mbr.; Canyon on Gove-Trego Co. Line, Kansas; collected by E. H. Taylor 1910.

Martinichthys McClung 1926

Martinichthys brevis McClung 1926

(Type-species)

- KUVP 497 *Martinichthys brevis* new species—McClung 1926: pp. 21-25; pl. 1, fig. 10; pl. 2, fig. 11-17; holotype, cranium and vertebrae. Upper Cretaceous, Senonian, Niobrara Fm., Smoky Hill Chalk Mbr.; S side of the Smoky Hill River, Gove Co., Kansas.

Martinichthys acutus McClung 1926

- KUVP 502 *Martinichthys acutus* new species—McClung 1926: p. 25; pl. 1, fig. 6; holotype, rostrum.

Upper Cretaceous, Coniacian, Niobrara Fm., Smoky Hill Chalk Mbr.; Martin's Canyon, Gove Co., Kansas; collected by C. E. McClung 1910.

- KUVP 503 *Martinichthys acutus* new species—McClung 1926: pl. 1, fig. 5; paratype, rostrum.

Upper Cretaceous, Senonian, Niobrara Fm., Smoky Hill Chalk Mbr.; bluffs, W side of Sec. 3, Trego Co., Kansas; collected by H. T. Martin 1910.

Martinichthys alternatus McClung 1926

- KUVP 500 *Martinichthys alternatus* new species—McClung 1926: p. 26; pl. 1, fig. 2; holotype, rostrum.

Upper Cretaceous, Coniacian, Niobrara Fm., Smoky Hill Chalk Mbr.; 1½ mi. S of Banner, S½, Sec. 9, W½, Sec. 15, Sec. 16, T14S, R24W, Trego Co., Kansas; collected by H. T. Martin 1910.

Martinichthys gracilis McClung 1926

- KUVP 504 *Martinichthys gracilis* new species—McClung 1926: p. 26; pl. 1, fig. 3; holotype, rostrum.

Upper Cretaceous, Coniacian, Niobrara Fm., Smoky Hill Chalk Mbr.; Martin's Canyon, Gove Co., Kansas; collected by H. T. Martin 1910.

Martinichthys intermedius McClung 1926

- KUVP 501 *Martinichthys intermedius* new species—McClung 1926: p. 26; pl. 1, fig. 1; holotype, rostrum.

Upper Cretaceous, Coniacian, Niobrara Fm., Smoky Hill Chalk Mbr.; 1½ mi. S of Banner, S½, Sec. 9, W½, Sec. 15, Sec. 16, T24S, R25W, Trego Co., Kansas; collected by H. T. Martin 1910.

- Martinichthys latus* McClung 1926
 KUVF 499 *Martinichthys latus* new species—McClung 1926: pp. 21-25; pl. 1, fig. 4; holotype, rostrum.
 Upper Cretaceous, Coniacian, Niobrara Fm., Smoky Hill Chalk Mbr.; Martin's Canyon, Gove Co., Kansas.
- Martinichthys ziphioides* (Cope) 1877
 KUVF 498 *Martinichthys ziphioides* (Cope)—McClung 1926: pl. 1, fig. 7; neurocranium, 23 vertebrae.
 Upper Cretaceous, Coniacian, Niobrara Fm., Smoky Hill Chalk Mbr.; $\frac{3}{4}$ mi. N of Neuenschwander's ranch, E $\frac{1}{2}$, Sec. 10, T14S, R25W, Trego Co., Kansas; collected by W. R. Green 1909.
- KUVF 506 *Martinichthys ziphioides* (Cope)—McClung 1926: pl. 1, fig. 8; rostrum.
 Upper Cretaceous, Senonian, Niobrara Fm., Smoky Hill Chalk Mbr.; western Kansas.
- KUVF 507 *Martinichthys ziphioides* (Cope)—McClung 1926: pl. 1, fig. 9; rostrum.
 Upper Cretaceous, Coniacian, Niobrara Fm., Smoky Hill Chalk Mbr.; 1 $\frac{1}{2}$ mi. S of Banner, S $\frac{1}{2}$, Sec. 9, W $\frac{1}{2}$, Sec. 15, Sec. 16, T14S, R24W, Trego Co., Kansas; collected by C. E. McClung 1910.
- Niobrara* Jordan 1924
Niobrara encarsia Jordan 1924
 (Type-species)
- KUVF 179 *Niobrara encarsia* Jordan, n. sp.—Jordan 1924: p. 223; pl. 14; holotype, complete fish.
 Upper Cretaceous, Coniacian or Santonian Niobrara Fm., Smoky Hill Chalk Mbr.; Trego Co., Kansas; collected by Harry Martin.
- Zanclites* Jordan 1924
Zanclites xenurus Jordan 1924
 (Type-species)
- KUVF 52 *Zanclites xenurus* Jordan, new genus, new species—Jordan 1924: p. 224; pl. 15; holotype, complete fish.
Zanclites—Lane 1945: pl. 5 (=Jordan 1924, pl. 15); holotype, complete fish.
 Upper Cretaceous, Santonian, Niobrara Fm., Smoky Hill Chalk Mbr.; $\frac{1}{2}$ mi. NE of Gove City, Gove Co., Kansas; collected by Harry Martin.
- Order Elopiformes Greenwood et al. 1966
 Suborder Elopoidei Jordan 1923
 Family Pachyrhizodontidae Cope 1872
Eurychir Jordan 1924
Eurychir lindleyi Jordan 1924
 see *Pachyrhizodus minimus* A. Stewart 1899B
- Kansanus* Jordan 1924
Kansanus martini Jordan 1924
 see *Pachyrhizodus* sp.

- Pachyrhizodus* Dixon 1859
Pachyrhizodus caninus Cope 1872
- KUVP ? *Pachyrhizodus caninus* Cope—Stewart, A. 1900: pl. 70, fig. 2,5,6; not relocated.
- KUVP 164 *Pachyrhizodus caninus* Cope—Stewart, A. 1900: pl. 70, fig. 3; figured as No. 315, premaxillae.
Upper Cretaceous, Senonian, Niobrara Fm., Smoky Hill Chalk Mbr.; western Kansas.
- KUVP 278 *Pachyrhizodus caninus* Cope—Stewart, A. 1900: pl. 70, fig. 4; mandible, left maxilla, ?glossohyal, published as No. 145.
(Note: jaws appear to have undergone digestion and may have been part of carnivore ejecta; thus, the "glossohyal" may not be part of this fish.)
Upper Cretaceous, Senonian, Niobrara Fm., Smoky Hill Chalk Mbr.; western Kansas.
- KUVP 274 *Pachyrhizodus latimentum?* Cope—Stewart, A. 1900: pl. 68, fig. 1-7; pl. 70, fig. 7-10; figured as No. 316; basioccipital, right mandible, right maxilla, left premaxilla, frontals, cleithrum.
Upper Cretaceous, Coniacian, Niobrara Fm., Smoky Hill Chalk Mbr.; Sec. 17, 20, 29, T14S, R25W; Spencer Canyon, Trego Co., Kansas; collected by H. T. Martin.
- Pachyrhizodus latimentum?* Cope 1872
see *Pachyrhizodus caninus* Cope 1872
- Pachyrhizodus leptognathus* A. Stewart 1898D
- KUVP 75 *Pachyrhizodus leptognathus* sp. nov.—Stewart, A. 1898D: p. 193; pl. 17, fig. 1; holotype.
Pachyrhizodus leptognathus Stewart—Stewart, A. 1900: pl. 69, fig. 1; holotype.
Jaws, quadrate, operculum.
Upper Cretaceous, Senonian, Niobrara Fm., Smoky Hill Chalk Mbr.; Gove Co., Kansas.
- Pachyrhizodus leptopsis* Cope 1874
see *Pachyrhizodus* sp.
- Pachyrhizodus minimus* A. Stewart 1899B
- KUVP 327 *Pachyrhizodus minimus*—Stewart, A. 1899B: p. 37,38, text-fig. on p. 37; holotype.
Pachyrhizodus minimus—Stewart, A. 1900: text-fig. on p. 360; holotype.
Mandibles.
Upper Cretaceous, Campanian, Niobrara Fm., Smoky Hill Chalk Mbr.; Butte Creek, Logan Co., Kansas; collected by A. Stewart 1898.
- KUVP 264 *Apsopelix sauriformis* Cope—Jordan 1924: pl. 20; complete fish.
Upper Cretaceous, Turonian, Greenhorn Limestone Fm., Pfeifer Mbr.; Lincoln Co., Kansas; collected by Rev. W. S. Price.
- KUVP 249 *Eurychir lindleyi* Jordan, new genus, new species—Jordan 1924: pp. 232-233; pl. 22; holotype.
Eurychir lindleyi Jordan, D. S., 1924—Taverne 1975: fig. 5,6,7; holotype.

- Cranium, pectoral girdle, and four vertebrae.
Upper Cretaceous, Coniacian, Niobrara Fm., Smoky Hill Chalk Mbr.; near Banner, Trego Co., Kansas; collected by Harry Martin.
- KUVP 300 *Thrissopater intestinalis* new species—Moodie 1910: pp. 281-286; pl. 61; holotype.
Thrissopater intestinalis Moody—Gillette 1972: text-fig. 1; holotype.
Nearly complete skeleton.
Forey (1977:162-163) has included the type species *Thrissopater* within *Pachyrhizodus*. Bardack and Teller-Marshall (MS) consider *T. intestinalis* to be a synonym of *P. minimus*.
Upper Cretaceous, Senonian, Austin Group; Waco, Texas.
- KUVP 316 *Pachyrhizodus velox* A. Stewart 1898D
Pachyrhizodus velox sp. nov.—Stewart, A. 1898D: pp. 193-195; pl. 17, fig. 2; holotype.
Pachyrhizodus velox Stewart—Stewart, A. 1900: pl. 69, fig. 2; holotype.
Jaws, hyoid.
Upper Cretaceous, Santonian or Campanian, Niobrara Fm., Smoky Hill Chalk Mbr.; Logan Co., Kansas; collected by E. P. West.
- KUVP 151 *Pachyrhizodus* sp.
Pachyrhizodus leptopsis Cope—Stewart, A. 1900: pl. 70, fig. 1; figured as No. 289; partial mandible.
Upper Cretaceous, Senonian, Niobrara Fm., Smoky Hill Chalk Mbr.; western Kansas.
- KUVP ? *Pachyrhizodus*—Stewart, A. 1900: pl. 71; not relocated.
- KUVP 128 *Kansanus martini* Jordan, new genus, new species—Jordan 1924: p. 226; pl. 16; holotype, head and pectoral fin.
Upper Cretaceous, Santonian, Niobrara Fm., Smoky Hill Chalk Mbr.; 6 mi. SE Gove City, Gove Co., Kansas; collected by Harry Martin.
- KUVP 59032 *Empo nepaholica* Cope—Moodie 1910: pl. 60; pl. 62, fig. 2; published as No. 347; pectoral fin, vertebrae, intestinal cast.
Upper Cretaceous, Santonian or Campanian, Niobrara Fm., Smoky Hill Chalk Mbr.; 7 mi. NW of Elkader, Logan Co., Kansas; collected by H. T. Martin 1898.
- Order Anguilliformes Goodrich 1909
Suborder Anguilloidei Berg 1940
Family Anguillavidae Hay 1903
Anguillavus Hay 1903
- KUVP 927 *Anguillavus hackberryensis*—Martin 1922: pp. 95-97, pl. 6, fig. 1,2; holotype, complete specimen.
According to Wiley and Stewart 1981, probably not an anguilliform, but a dercetid.
Upper Cretaceous, Santonian, Niobrara Fm., Smoky Hill Chalk Mbr.; Hackberry Creek, 6 mi. E of Gove City, Gove Co., Kansas; collected by H. T. Martin 1919.

Family Urenchelidae Regan 1912
Urenchelys Woodward 1900

- KUVP 47241 *Urenchelys abditus* n. sp.—Wiley and Stewart, J. D. 1981: pp. 44-46, text-fig. 1-4; holotype, complete specimen (erroneously cited as 27241 in text-fig. 2).

Upper Cretaceous, Santonian, Niobrara Fm., Smoky Hill Chalk Mbr.; Hell's Bar, SW $\frac{1}{4}$, SW $\frac{1}{2}$, Sec. 30, T15S, R30W, Gove Co., Kansas; collected by J. D. Stewart, 1977.

Order Leptolepiformes Goodrich 1930

Family Leptolepididae Nicholson and Lydekker 1889

Leptolepis Agassiz 1832

Leptolepis schoeuei Dunkle 1942

- KUVP 784 *Leptolepis schoeuei*, sp. nov.—Dunkle 1942: pp. 62-63; pl. 6, lower figure; holotype, complete specimen (part and counterpart).

Middle Jurassic, Ralston Creek Fm. [published as Upper Lykins Fm., Lower Jurassic(?)]; Felch Creek, NE $\frac{1}{4}$, NW $\frac{1}{4}$, Sec. 27, T17S, R70W, Fremont Co., about 9 mi. NE of Canyon City, Colorado; collected by W. H. Schoewe 1925.

Leptolepis schoeuei may not belong within the genus *Leptolepis* as defined by Nybelin 1974 (see also Dunkle 1942, p. 64).

Order Euteleostei Greenwood et al. 1967

Suborder Ostariophysii Sagemehl 1885

Infraorder Siluriformes Hay 1929

Family Ictaluridae Bailey 1956

Ictalurus Rafinesque 1820

Ictalurus lambda Hubbs and Hibbard 1951

- KUVP 6887 *Ictalurus lambda*, n. sp.—Hubbs and Hibbard 1951: pp. 10-14; pl. 1, fig. 2-3; pl. 3, fig. 1-3; holotype; pectoral spine.

Tertiary, Miocene, Clarendonian, Ogallala Fm.; SW $\frac{1}{4}$, Sec. 15, T11S, R22W, Trego Co., Kansas; collected by C. W. Hibbard 1943.

- KUVP 6888 *Ictalurus lambda*, n. sp.—Hubbs and Hibbard 1951: p. 10; paratype, part of pectoral spine.

Tertiary, Miocene, Clarendonian, Ogallala Fm.; NW $\frac{1}{4}$, Sec. 22, T11S, R22W, Trego Co., Kansas; collected by L. F. Phillis 1941.

Infraorder Cypriniformes Perrier 1903

Family Cyprinidae Agassiz 1844

Notropis Rafinesque 1818

Notropis megalepis Smith 1962

- KUVP 849 *Notropis megalepis* sp. nov.—Smith 1962: p. 511; text-fig. 4; holotype; complete fish.

Tertiary, Miocene, Hemphillian, Ogallala Fm.; Sec. 7, T11S, R37W, Logan Co., Kansas; collected by K.U. field party 1936.

Order incertae sedis

Family Crossognathidae Woodward 1901

Apsopelix Cope 1871

Apsopelix anglicus (Dixon 1850)

Leptichthys agilis, sp. nov.—Stewart, A. 1899E: pp. 78-79.

- KUVP 309 *Leptichthys agilis*, sp. nov.—Stewart, A. 1900: pl. 72, fig. 1; holotype, complete fish.
Upper Cretaceous, Santonian or Campanian, Niobrara Fm., Smoky Hill Chalk Mbr.; Logan Co., Kansas; collected by H. T. Martin 1898.
- KUVP 55455 *Syllaemus latifrons* Cope—Stewart, A. 1900: pl. 72, fig. 2; complete skeleton.
Upper Cretaceous, Turonian?, Greenhorn Limestone Fm.; western Kansas.
- Apsopelix sauriformis* Cope 1870
see *Pachyrhizodus minimus* A. Stewart 1899B
- Leptichthys* Stewart 1899E
Leptichthys agilis A. Stewart 1900
see *Apsopelix anglicus* (Dixon 1850)
and *Laminospondylus transversus* Springer 1957
- Syllaemus* Cope 1875
Syllaemus latifrons Cope 1875
see *Apsopelix anglicus* (Dixon 1850)
- Suborder Neoteleostei Nelson 1969
Infraorder Aulopiformes Rosen 1973
Family Cimolichthyidae Goody 1969
Cimolichthys Leidy 1857
Cimolichthys nepaholica (Cope 1872)
- KUVP 328 *Empo lisbonensis*, sp. nov.—Stewart, A. 1899C: pp. 111-122; holotype.
Empo lisbonensis Stewart—Stewart, A. 1900: pl. 61, fig. 10a,b; holotype.
Left ectopterygoid.
Upper Cretaceous, Campanian, Pierre Shale Fm., Sharon Springs Shale Mbr.; Lisbon, Sec. 8, T12S, R36W, Logan Co., Kansas; collected by A. Stewart 1898.
- KUVP 62 *Empo nepaeolica* Cope—Stewart, A. 1900: pl. 59, fig. 1,1a,2,3a,b, 7,8,9; pl. 61, fig. 4; disarticulated cranium and vertebrae.
Upper Cretaceous, Senonian, Niobrara Fm., Smoky Hill Chalk Mbr.; western Kansas; collected by E. P. West.
- KUVP ? *Empo nepaeolica* Cope—Stewart, A. 1900: pl. 59, fig. 4; 6a-c; not relocated.
- KUVP 70 *Empo nepaeolica* Cope—Stewart, A. 1900: pl. 59, fig. 5; jaws, ceratohyal, ethmoid.
Upper Cretaceous, Santonian or Campanian, Niobrara Fm., Smoky Hill Chalk Mbr.; 2 mi. E of Monument Rocks, Sec. 25, 26, 34, 35, T14S, R31W, Gove Co., Kansas; collected by J. W. Beede.
- KUVP ? *Empo nepaeolica* Cope—Stewart, A. 1900: pl. 61, fig. 2,3,5; not relocated.
- KUVP 71 *Empo semianiceps* Cope—Stewart, A. 1900: pl. 61, fig. 6-9; jaws, ceratohyals.
Upper Cretaceous, Senonian, Niobrara Fm., Smoky Hill Chalk Mbr.; Graham Co., Kansas; collected by Overton and H. T. Martin.

- KUVP 59032 *Empo nepaholica* Cope—Moodie 1910: pl. 60; pl. 62, fig. 2; see *Pachyrhizodus* sp.
Empo semianiceps Cope 1872
 see *Cimolichthys nepaholica* (Cope 1872)
Empo lisbonensis A. Stewart 1899C
 see *Cimolichthys nepaholica* (Cope 1872)
Empo nepaeolica Cope 1872
 see *Cimolichthys nepaholica* (Cope 1872)
- Family Enchodontidae Woodward 1901
Enchodus Agassiz 1835
Enchodus amicrodus A. Stewart 1898D
- KUVP 324 *Enchodus amicrodus* sp. nov.—Stewart, A. 1898D: pl. 193, text-fig. 3, holotype.
Enchodus amicrodus—Stewart, A. 1900: right text-fig. on p. 378; holotype.
 Right dentary, not relocated.
 Holotype lost prior to 1913 (Green 1913); specimens determined as *E. amicrodus* Stewart by Green (1913) belong to *E. gladiolus* (Cope 1872A) and *Enchodus petrosus*.
Enchodus dirus (Leidy 1857)
 (see also *E. cf. E. dirus*)
- KUVP 817 *Enchodus dirus* Leidy—Green 1913: pl. 6, fig. 3,4; complete skull and mandibles.
 Upper Cretaceous, Santonian or Campanian, Niobrara Fm., Smoky Hill Chalk Mbr.; Logan Co., Kansas; collected by C. H. Sternberg, 1907.
Enchodus cf. E. dirus (Leidy 1857)
- KUVP 322 *Enchodus dirus* Leidy—Stewart, A. 1900: pl. 70, fig. 14; dentary. Upper Cretaceous, Senonian, Niobrara Fm., Smoky Hill Chalk Mbr.; western Kansas; collected by E. P. West.
Enchodus dolichus Cope 1875
 see *Enchodus gladiolus* (Cope 1872A)
- KUVP ? *Enchodus dolichus* Cope—Stewart, A. 1900: p. 70, fig. 12; not relocated.
- KUVP 514 *Enchodus*, sp.—Stewart, A. 1900: pl. 70, fig. 13, left dentary. Upper Cretaceous, Senonian, Niobrara Fm., Smoky Hill Chalk Mbr.; western Kansas; collected by E. P. West.
- KUVP 812 *Enchodus amicrodus* Stewart—Green 1913: pl. 10, fig. 2; upper jaw, dentary.
 Upper Cretaceous, Senonian, Niobrara Fm., Smoky Hill Chalk Mbr.; western Kansas; collected by A. Stewart.
- KUVP 814 *Enchodus dolichus* Cope—Green 1913: pl. 11, fig. 1-3; skull, operculum and 5 vertebrae.
 Upper Cretaceous, Coniacian, Niobrara Fm., Smoky Hill Chalk Mbr.; S of Martin's Canyon, Gove Co., Kansas; collected by H. T. Martin 1910.

- KUVP 820 *Enchodus dolichus* Cope—Green 1913: pl. 12, fig. 1; left dentary. Upper Cretaceous, Senonian, Niobrara Fm., Smoky Hill Chalk Mbr.; western Kansas; collected by H. T. Martin.
- KUVP 174 *Enchodus dolichus* Cope—Green 1913: pl. 12, fig. 2; disarticulated cranium. Upper Cretaceous, Coniacian or Santonian, Niobrara Fm., Smoky Hill Chalk Mbr.; Hackberry Creek, Trego Co., Kansas; collected by Harry Martin 1909.
- KUVP 808 *Enchodus dolichus* Cope—Green 1913: pl. 13, fig. 1; cranium and right palatine. Upper Cretaceous, Coniacian or Santonian, Niobrara Fm., Smoky Hill Chalk Mbr.; Trego Co., Kansas; collected by H. T. Martin 1908.
- KUVP 816 *Enchodus dolichus* Cope—Green 1913: pl. 13, fig. 2; mandibles and upper jaws. Upper Cretaceous, Senonian, Niobrara Fm., Smoky Hill Chalk Mbr.; western Kansas; collected by H. T. Martin.
- KUVP 819 *Enchodus dolichus* Cope—Green 1913: pl. 13, fig. 3; ?complete skull. Upper Cretaceous, Coniacian or Santonian, Niobrara Fm., Smoky Hill Chalk Mbr.; Trego Co., Kansas; collected by H. T. Martin 1908.
- KUVP 810 *Enchodus dolichus* Cope—Green 1913: pl. 13, fig. 4; pterygoids and palatine. Upper Cretaceous, Coniacian or Santonian, Niobrara Fm., Smoky Hill Chalk Mbr.; Trego Co., Kansas; collected by H. T. Martin 1910.
- KUVP 831 *Enchodus dolichus* Cope—Green 1913: pl. 14, fig. 1; disarticulated cranium. Upper Cretaceous, Coniacian or Santonian, Niobrara Fm., Smoky Hill Chalk Mbr.; Trego Co., Kansas; collected by H. T. Martin 1908.
- KUVP 821 *Enchodus dolichus* Cope—Green 1913: pl. 14, fig. 2; jaws. Upper Cretaceous, Senonian, Niobrara Fm., Smoky Hill Chalk Mbr.; western Kansas; collected by H. T. Martin 1908.
- KUVP 156 *Enchodus dolichus* Cope—Green 1913: pl. 15, fig. 10; left mandible. Upper Cretaceous, Senonian, Niobrara Fm., Smoky Hill Chalk Mbr.; south of the Smoky Hill River; collected by B. F. Mudge.
- KUVP 832 *Enchodus dolichus* Cope—Green 1913: pl. 15, fig. 12; right mandible, palatines, premaxilla. Upper Cretaceous, Coniacian or Santonian, Niobrara Fm., Smoky Hill Chalk Mbr.; Trego Co., Kansas; collected by H. T. Martin 1908.
- Enchodus parvus* A. Stewart 1898D
see *Enchodus shumardi* Leidy 1856
- Enchodus petrosus* Cope 1874
- KUVP 397 *Enchodus petrosus* Cope—Stewart, A. 1900: pl. 70, fig. 11.
Enchodus petrosus Cope—Green 1913: pl. 3, fig. 5, lower specimen; pl. 7, fig. 17. Figured as No. 16.

Left palatine.

Upper Cretaceous, Senonian, Niobrara Fm., Smoky Hill Chalk Mbr.; western Kansas.

- KUVP 804 *Enchodus petrosus* Cope—Green 1913: pl. 2, fig. 1; pl. 3, fig. 1; upper drawing; neurocranium, operculum, and palatine.
Upper Cretaceous, Coniacian or Santonian, Niobrara Fm., Smoky Hill Chalk Mbr.; Trego Co., Kansas; collected by H. T. Martin 1910.
- KUVP 803 *Enchodus petrosus* Cope—Green 1913: pl. 2, fig. 2; pl. 3, fig. 2,6,7,9; pl. 17, fig. 1,2; jaws.
Upper Cretaceous, Coniacian or Santonian, Niobrara Fm., Smoky Hill Chalk Mbr.; Trego Co., Kansas; collected by H. T. Martin 1910.
- KUVP 802 *Enchodus petrosus* Cope—Green 1913: pl. 3, fig. 1, lower drawing; figured as No. 80 (typ. error); right palatine.
Upper Cretaceous, Coniacian or Santonian, Niobrara Fm., Smoky Hill Chalk Mbr.; Trego Co., Kansas; collected by H. T. Martin 1908.
- KUVP 833 *Enchodus petrosus* Cope—Green 1913: pl. 3, fig. 3; palatal fang.
Upper Cretaceous, Senonian, Niobrara Fm., Smoky Hill Chalk Mbr.; western Kansas; collected by H. T. Martin.
- KUVP 801 *Enchodus petrosus* Cope—Green 1913: pl. 3, fig. 4; palatine.
Upper Cretaceous, Coniacian, Niobrara Fm., Smoky Hill Chalk Mbr.; S½, Sec. 9, W½, Sec. 15, Sec. 16, T14S, R25W, Trego Co., Kansas; collected by McArdle 1910.
- KUVP 800 *Enchodus petrosus* Cope—Green 1913: pl. 3, fig. 5, upper drawing; palatine.
Upper Cretaceous, Senonian, Niobrara Fm., Smoky Hill Chalk Mbr.; western Kansas; collected by E. P. West.
- KUVP 839 *Enchodus petrosus* Cope—Green 1913: pl. 3, fig. 8; mandible.
Upper Cretaceous, Coniacian or Santonian, Niobrara Fm., Smoky Hill Chalk Mbr.; Trego Co., Kansas; collected by H. T. Martin 1910.
- KUVP 21 Probably *Enchodus petrosus* Cope—Green 1913: pl. 3, fig. 10; left palatine.
Upper Cretaceous, Senonian, Niobrara Fm., Smoky Hill Chalk Mbr.; western Kansas; collected by E. P. West.
- KUVP 25 Probably *Enchodus petrosus* Cope—Green 1913: pl. 3, fig. 11; not relocated.
- KUVP 836 *Enchodus petrosus* Cope—Green 1913: pl. 4; disarticulated cranium.
Upper Cretaceous, Coniacian or Santonian, Niobrara Fm., Smoky Hill Chalk Mbr.; Trego Co., Kansas; collected by H. T. Martin and W. R. Green 1908.
- KUVP 807 *Enchodus petrosus* Cope—Green 1913: pl. 5; pl. 15, fig. 14; complete skeleton.
Upper Cretaceous, Coniacian or Santonian, Niobrara Fm., Smoky Hill Chalk Mbr.; Trego Co., Kansas; collected by C. E. McClung 1910.
- KUVP 126 *Enchodus petrosus* Cope—Green 1913: pl. 6, fig. 2; palatines.

- Upper Cretaceous, Senonian, Niobrara Fm., Smoky Hill Chalk Mbr.; western Kansas; collected by B. F. Mudge 1878.
- KUVP ? *Enchodus petrosus* Cope—Green 1913: pl. 7, fig. 1-14; not re-located.
- KUVP 837 *Enchodus petrosus* Cope—Green 1913: pl. 7, fig. 15,16; left palatine.
- Upper Cretaceous, Senonian, Niobrara Fm., Smoky Hill Chalk Mbr.; western Kansas; collected by H. T. Martin 1908.
- KUVP 379 *Enchodus amicrodus* Stewart—Green 1913: pl. 10, fig. 3; neotype; cranium, and jaws.
- Upper Cretaceous, Santonian or Campanian, Niobrara Fm., Smoky Hill Chalk Mbr.; Logan Co., Kansas; collected by H. T. Martin.
- KUVP ? *Enchodus petrosus* Cope—Green 1913: pl. 15, fig. 15; incorrectly listed as No. 824; not relocated.
- Enchodus shumardi* Leidy 1856
- KUVP 321 *Enchodus parvus* sp. nov.—Stewart, A. 1898D: p. 192; text-fig. 2; holotype.
- Enchodus parvus*—Stewart, A. 1900: left text-fig. on p. 378; holotype.
- Left dentary.
- Upper Cretaceous, Senonian, Niobrara Fm., Smoky Hill Chalk Mbr.; Gove Co., Kansas; collected by E. P. West.
- KUVP ? —Stewart, A. 1900: text-fig. on p. 368; right dentary; not relocated.
- KUVP 829 *Enchodus Shumardi* Leidy—Green 1913: pl. 15, fig. 1; complete skull.
- Upper Cretaceous, Coniacian or Santonian, Niobrara Fm., Smoky Hill Chalk Mbr.; Trego Co., Kansas; collected by H. T. Martin 1910.
- KUVP 823 *Enchodus Shumardi* Leidy—Green 1913: pl. 15, fig. 2; jaws and opercular bones.
- Upper Cretaceous, Coniacian or Santonian, Niobrara Fm., Smoky Hill Chalk Mbr.; Trego Co., Kansas; collected by H. T. Martin 1910.
- KUVP 824 *Enchodus Shumardi* Leidy—Green 1913: pl. 15, fig. 3; left dentary; (pl. 15, fig. 15 not found, but incorrectly listed as part of this specimen).
- Upper Cretaceous, Coniacian or Santonian, Niobrara Fm., Smoky Hill Chalk Mbr.; Trego Co., Kansas; collected by H. T. Martin 1910.
- KUVP 825 *Enchodus Shumardi* Leidy—Green 1913: pl. 15, fig. 5; dentary.
- Upper Cretaceous, Senonian, Niobrara Fm., Smoky Hill Chalk Mbr.; western Kansas; collected by E. P. West.
- KUVP 826 *Enchodus Shumardi* Leidy—Green 1913: pl. 15, fig. 6; right dentary.
- Upper Cretaceous, Senonian, Niobrara Fm., Smoky Hill Chalk Mbr.; Smoky Hill River, Kansas; collected by B. F. Mudge.
- KUVP 323 *Enchodus Shumardi* Leidy—Green 1913: pl. 15, fig. 7; right dentary.
- Upper Cretaceous, Senonian, Niobrara Fm., Smoky Hill Chalk Mbr.; Gove Co., Kansas; collected by E. P. West.

- KUVP 838 *Enchodus Shumardi* Leidy—Green 1913: pl. 15, fig. 8; palatine fang, not relocated.
- KUVP 828 *Enchodus Shumardi* Leidy—Green 1913: pl. 15, fig. 9; palatine. Upper Cretaceous, Coniacian or Santonian, Niobrara Fm., Smoky Hill Chalk Mbr.; Trego Co., Kansas; collected by H. T. Martin 1910.
- KUVP 827 *Enchodus Shumardi* Leidy—Green 1913: pl. 15, fig. 11; jaws and cranium. Upper Cretaceous, Coniacian or Santonian, Niobrara Fm., Smoky Hill Chalk Mbr.; Trego Co., Kansas; collected by H. T. Martin 1910.
- KUVP 377 *Enchodus Shumardi* Leidy—Green 1913: pl. 15, fig. 13; mandibles and upper jaw. Upper Cretaceous, Santonian or Campanian, Niobrara Fm., Smoky Hill Chalk Mbr.; Logan Co., Kansas.
- Enchodus* sp.
- KUVP 805 *Enchodus petrosus* Cope—Green 1913: pl. 2, fig. 3-5; disarticulated cranium. Upper Cretaceous, Coniacian or Santonian, Niobrara Fm., Smoky Hill Chalk Mbr.; Trego Co., Kansas; collected by H. T. Martin 1910.
- KUVP 806 *Enchodus petrosus* Cope—Green 1913: pl. 6, fig. 1; tail. Upper Cretaceous, Coniacian, Niobrara Fm., Smoky Hill Chalk Mbr.; Spencer's Canyon, Sec. 17, 20, 29, T14S, R25W, Trego Co., Kansas; collected by H. T. Martin 1910.
- KUVP 51 *Enchodus amicrodus* Stewart—Green 1913: pl. 10, fig. 1; mandible and operculum. Upper Cretaceous, Coniacian or Santonian, Niobrara Fm., Smoky Hill Chalk Mbr.; Trego Co., Kansas.

Family Dercetidae Cope 1878

Stratodus Cope 1872

Stratodus apicalis Cope 1872

- KUVP 23 *Stratodus apicalis* Cope—Stewart, A. 1900: pl. 60; pl. 61, fig. 1; cranium and jaws. Upper Cretaceous, Campanian, Niobrara Fm., Smoky Hill Chalk Mbr.; 1 mi. W. Twin Buttes, NE¼, Sec. 1, T15S, R37W, Logan Co., Kansas; collected by S. W. Williston 1898.

Leptecodon Williston 1899

Leptecodon rectus Williston 1899

(Type-species)

- KUVP 35 *Leptecodon rectus*, gen. et sp. nov.—Williston 1899A: pp. 113-114; pl. 26; holotype. *Leptecodon rectus*—Williston in Stewart, A. 1900: pl. 73; holotype. Complete fish on inoceramid shell, figured as No. 173. Upper Cretaceous, Senonian, Niobrara Fm., Smoky Hill Chalk Mbr.; after publication Smoky Hill River (Trego or Gove Co.) but data with specimen say Graham Co., Kansas; collected by H. T. Martin 1895.

Suborder Paracanthopterygii Greenwood et al. 1966
 Infraorder Polymixiiformes Rosen and Patterson 1969
 Family Polymixiidae Gill 1862
Omosoma Costa 1857
Omosoma garretti Bardack 1976

KUVP 59016, 59017, 59018 Small fish of unknown affinities—Williston 1899A:
 pl. 26.

—Williston in Stewart, A. 1900: pl. 73.

Omosoma garretti new species—Bardack 1976: p. 356; paratypes.
 Three complete specimens together with the holotype of *Lep-
 tecodon rectus* (published as No. 135 by Bardack 1976).

Upper Cretaceous, Santonian, Niobrara Fm., Smoky Hill Chalk
 Mbr.; after publication, Smoky Hill River (Trego or Gove Co.)
 but data with specimen say Graham Co., Kansas; collected by
 H. T. Martin 1895.

Suborder Acanthopterygii Bonaparte 1833
 Infraorder Atheriniiformes Rosen 1964
 Family Cyprinodontidae Guenther 1866

Fundulus Lacépède 1803

Fundulus detillae Hibbard and Dunkle 1942

Fundulus detillae corrected to *F. detillai* by G. L. Smith 1962

KUVP 848 *Fundulus detillae*, n. sp.—Hibbard and Dunkle 1942: p. 273;
 pl. 1; holotype.

Fundulus—Lane 1945: pl. 7 (=Hibbard and Dunkle 1942, pl. 1);
 holotype.

Complete fish.

KUVP 852 *Fundulus detillae*, n. sp.—Hibbard and Dunkle 1942: p. 273;
 paratypes, two fishes.

KUVP 856 *Fundulus detillae*, n. sp.—Hibbard and Dunkle 1942: p. 273;
 paratype, complete fish.

KUVP 861 *Fundulus detillae*, n. sp.—Hibbard and Dunkle 1942: p. 273;
 paratype, part and counter-part.

KUVP 865 *Fundulus detillae*, n. sp.—Hibbard and Dunkle 1942: p. 273;
 paratype, part and counter-part.

KUVP 872 *Fundulus detillae*, n. sp.—Hibbard and Dunkle 1942: p. 273;
 paratype, complete fish.

KUVP 878 *Fundulus detillae*, n. sp.—Hibbard and Dunkle 1942: p. 273;
 paratype, complete fish.

KUVP 65573 *Fundulus detillae*, n. sp.—Hibbard and Dunkle 1942: p. 273;
 paratype, complete fish, cited as No. 878a.

KUVP 880 *Fundulus detillae*, n. sp.—Hibbard and Dunkle 1942: p. 273;
 paratype, complete fish.

KUVP 881 *Fundulus detillae*, n. sp.—Hibbard and Dunkle 1942: p. 273;
 paratype, complete fish.

KUVP 1137 *Fundulus detillae*, n. sp.—Hibbard and Dunkle 1942: p. 273;
 paratype, complete fish.

KUVP 1143 *Fundulus detillae*, n. sp.—Hibbard and Dunkle 1942: p. 273;
 paratype, part and counter-part.

KUVP 848, 852, 856, 861, 865, 872, 878, 880, 881, 1137, 1143, 65573 Late
 Tertiary, Miocene, Hemphillian, Ogallala Fm.; Sec. 7, T11S, R37W,

Logan Co., Kansas; holotype collected by C. M. DeTilla 1931, other specimens collected by K.U. field party 1936.

Infraorder Perciformes Guenther 1880

Family Centrarchidae Gill 1872

Lepomis Rafinesque 1819

Lepomis kansasensis (Hibbard 1936)

KUVP 792 *Chaenobryttus kansasensis*, sp. nov.—Hibbard 1936: pp. 178-179; pl. 6; holotype, complete fish.

Late Tertiary, Miocene, Hemphillian, Ogallala Fm.; Sec. 7, T11S, R37W, Logan Co., Kansas; collected by K.U. field party 1931.

Pomoxis Rafinesque 1818

Pomoxis lanei Hibbard 1936

KUVP 789 *Pomoxis lanei*, sp. nov.—Hibbard 1936: pp. 179-180; pl. 7; holotype, complete fish without caudal fin.

Pomoxis—Lane 1945: pl. 6 (=Hibbard 1936, pl. 7); holotype, complete fish.

KUVP 790 *Pomoxis lanei*, sp. nov.—Hibbard 1936: p. 180; paratype, complete fish without caudal fin.

KUVP 789, 790 Late Tertiary, Miocene, Hemphillian, Ogallala Fm.; Sec. 7, T11S, R37W, Logan Co., Kansas; collected by K.U. field party 1931.

Teleostei inc. sedis

Ferrifrons Jordan 1924

Ferrifrons rugosus Jordan 1924

(Type-species)

KUVP 296 *Ferrifrons rugosus* Jordan, new genus, new species—Jordan 1924: pl. 18,19; holotype; anterior half of fish, published as No. 295. Upper Cretaceous, Santonian, Niobrara Fm., Smoky Hill Chalk Mbr.; 4 mi. E of Gove City, Gove Co., Kansas; collected by Harry Martin.

Laminospondylus Springer 1957

Laminospondylus transversus Springer 1957

Long, broad, laminar transverse processes characterize the vertebrae of *L. transversus*, and of specimen KUVP 312. Thus the specimen is referred to *L. transversus*.

KUVP 312 *Leptichthys agilis* Stewart—Jordan 1924: pl. 21, complete fish. Upper Cretaceous, Santonian, Niobrara Fm., Smoky Hill Chalk Mbr.; 1 mi. west of Hill City, Graham Co., western Kansas; collected by KU party 1910.

Subclass Sarcopterygii Romer 1955

Superorder Actinistia Cope 1871

Order Coelacanthida Andrews et al. 1967

Family Coelacanthidae Agassiz 1844

Synaptotylus Echols 1963

Synaptotylus newelli (Hibbard 1933)

(Type-species)

- KUVP 786 *Coelacanthus newelli* sp. nov.—Hibbard 1933: p. 280; pl. 27, fig. 2,3; holotype, complete fish.
- KUVP 787 *Coelacanthus arcuatus* sp. nov.—Hibbard 1933: pp. 282-283; pl. 26, fig. 8 (misprinted as No. 786F), pl. 27, fig. 1; holotype of *C. arcuatus*, caudal region.
- KUVP 9939 *Synaptotylus newelli* (Hibbard)—Echols 1963: text-fig. 1A-C,2,4; partial skull.
- ?KUVP 11451 *Synaptotylus newelli* (Hibbard)—Echols 1963: text-fig. 2 (combined with 9939); disarticulated skull bones.
- KUVP 788 *Synaptotylus newelli* (Hibbard)—Echols 1963: text-fig. 3 (combined with 11432); partial skull, part and counter-part.
- KUVP 11432 *Synaptotylus newelli* (Hibbard)—Echols 1963: text-fig. 3 (combined with 788); partial skull, part and counter-part.
- KUVP 11429 *Synaptotylus newelli* (Hibbard)—Echols 1963: text-fig. 5A (combined with 11457); partial skull, part and counter-part.
- KUVP 11457 *Synaptotylus newelli* (Hibbard)—Echols 1963: text-fig. 5A (combined with 11429) and B; dissociated skull and pectoral girdle.
- KUVP 11432 *Synaptotylus newelli* (Hibbard)—Echols 1963: text-fig. 6A; pectoral girdle and skull elements.
- KUVP 59078 *Synaptotylus newelli* (Hibbard)—Echols 1963: text-fig. 6B; disarticulated caudal fin (published as No. 788).
- KUVP 59079 *Synaptotylus newelli* (Hibbard)—Echols 1963: text-fig. 7A,B; disarticulated specimen (published as No. 788).
- KUVP 11450 *Synaptotylus newelli* (Hibbard)—Echols 1963: text-fig. 7C; body without skull.
- KUVP 786, 787, 788, 11457, 59078, 59079 Upper Pennsylvanian (Lansing Group, Stanton Formation); SW $\frac{1}{4}$, SE $\frac{1}{4}$, Sec. 32, T19S, R19E, on Bradford Chandler's farm; collected by C. Lane, W. K. Nown, and C. W. Hibbard 1932.
- KUVP 11429-11450 NW $\frac{1}{4}$, NE $\frac{1}{4}$, Sec. 5, T20S, R19E, on Hardesty's farm; collected by F. E. Peabody 1954, and R. R. Camp 1955.
- KUVP 11451 Bluff on the Potawatonic Creek, NE $\frac{1}{4}$, NE $\frac{1}{4}$, Sec. 5, T20S, R19E; collected by V. Hoog 1953, 6 mi. NW of Garnett, Anderson Co., Kansas.

Superorder Choanata Säve-Söderbergh 1934

Order Onychodontida Andrews et al. 1967

Family Onychodontidae Woodward 1891

Quebecius Schultze 1973

Quebecius williamsi Schultze 1973

(Type-species)

- KUVP 10891 *Quebecius williamsi* n. gen. et n. sp.—Schultze 1973: p. 196; text-fig. 1b,2b,4a,b; pl. 31, fig. 1; pl. 32, fig. 3a,b; pl. 33, fig. 5; holotype, complete fish (part and counterpart).

Lowermost Upper Devonian, Escuminac Formation; Miguasha, Escuminac Bay, Quebec, Canada; collected by M. E. Williams 1967.

Superorder Dipnoi Müller 1846

Family Sagenodontidae Jaekel 1911

Sagenodus Owen 1867*Sagenodus copeanus* Williston 1899

- KUVP 55348 *S. copeanus*, n. sp.—Williston 1899B: pp. 178-181; pl. 28, fig. 1,1a; syntype, prearticular (figure reverse).
- KUVP 55349 *S. copeanus*, n. sp.—Williston 1899B: pl. 28, fig. 2; syntype, pterygoid (figure reverse).
- KUVP 55351 *S. copeanus*, n. sp.—Williston 1899B: pl. 28, fig. 3,3a,b; syntype, ceratohyal.
- KUVP ? *S. copeanus*, n. sp.—Williston 1899B: pl. 28, fig. 4; syntype, undetermined bone; not relocated.
- KUVP ? *S. copeanus*, n. sp.—Williston 1899B: pl. 28, fig. 5; syntype, operculum; not relocated.
- KUVP ? *S. copeanus*, n. sp.—Williston 1899B: pl. 28, fig. 6,6a; syntype, angular, not relocated.
- KUVP 55398 *S. copeanus*, n. sp.—Williston 1899B: pl. 35, fig. 1; syntype, suboperculum.
- KUVP ? *S. copeanus*, n. sp.—Williston 1899B: pl. 35, fig. 2,2a; syntype, operculum.
- KUVP 55399a,b *S. copeanus*, n. sp.—Williston 1899B: pl. 35, fig. 3; syntype, parasphenoid.
- KUVP 55352 *S. copeanus*, n. sp.—Williston 1899B: pl. 35, fig. 4; syntype, anocleithrum.
- KUVP ? *S. copeanus*, n. sp.—Williston 1899B: pl. 35, fig. 5; LM-bone; not relocated.
- KUVP 55353 *S. copeanus*, n. sp.—Williston 1899B: pl. 35, fig. 6; LM-bone, F-bone, KX-bone.
- KUVP 55354 *S. copeanus*, n. sp.—Williston 1899B: pl. 35, fig. 7; LM-bone.
- KUVP 55355 *S. copeanus*, n. sp.—Williston 1899B: pl. 35, fig. 8; E-bone.
- KUVP 55356 *S. copeanus*, n. sp.—Williston 1899B: pl. 35, fig. 9; E-bone.
- KUVP 55357 *S. copeanus*, n. sp.—Williston 1899B: pl. 35, fig. 10; LM-bone.
- KUVP ? *S. copeanus*, n. sp.—Williston 1899B: pl. 35, fig. 11; C-bone; not relocated.
- KUVP 55358 *S. copeanus*, n. sp.—Williston 1899B: pl. 35, fig. 12; LM-bone.
- KUVP 55359 *S. copeanus*, n. sp.—Williston 1899B: pl. 35, fig. 13; LM-bone (fig. reverse).
- KUVP 55360 *S. copeanus*, n. sp.—Williston 1899B: pl. 35, fig. 14; KX-bone.
- KUVP ? *S. copeanus*, n. sp.—Williston 1899B: pl. 36, top figure; operculum; not relocated.
- KUVP ? *S. copeanus*, n. sp.—Williston 1899B: pl. 36, fig. 1; operculum; not relocated.
- KUVP 55361 *S. copeanus*, n. sp.—Williston 1899B: pl. 36, fig. 2; operculum.
- KUVP 55362 *S. copeanus*, n. sp.—Williston 1899B: pl. 36, fig. 3; part of operculum.
- KUVP 55363-55396 *S. copeanus*, n. sp.—Williston 1899B: not figured syntypes.
- KUVP 55348-49, 55351-96, 55398-99, and all KUVP? Upper Pennsylvanian, Virgilian, Bern Limestone Formation, Soldier Creek Shale Member after Savin et al. 1979 (Burlingame Limestone Member after Zeller 1968); creek bank 1 mi. N and $\frac{3}{4}$ mi. E of Robinson, Brown Co., Kansas; collected by J. W. Beede 1899.

Family Ceratodontidae Gill 1872

Ceratodus Agassiz 1838

Ceratodus africanus Haug 1905

KUVP 60651b *Ceratodus africanus*—Schultze 1981B: text-fig. 2; vertical thin section of pterygoid tooth plate.

Lower Cretaceous; Sahara, Northern Africa.

Ceratodus frazieri Ostrom 1970

KUVP 16262 *Ceratodus frazieri*—Schultze 1981B: text-fig. 1 and 3; right pterygoid tooth plate.

Lower Cretaceous, Albian, Kiowa Formation; 6 mi. N of Sitka, near the center of Sec. 18, T32S, R21W, Clark Co., Kansas; collected by M. Williams 1969.

LITERATURE CITED

- BARDACK, D. 1965A. Localities of fossil vertebrates obtained from the Niobrara Formation (Cretaceous) of Kansas. Univ. Kansas Publ., Mus. Nat. Hist. 17:1-14.
- BARDACK, D. 1965B. Anatomy and evolution of chirocentrid fishes. Univ. Kansas Paleont. Contr., Vertebrata, art. 10:1-87.
- BARDACK, D. 1976. Paracanthopterygian and acanthopterygian fishes from the Upper Cretaceous of Kansas. Fieldiana Geology 33, No. 20:355-374.
- BARDACK, D., AND G. SPRINKLE. 1969. Morphology and relationships of saurocephalid fishes. Fieldiana, Geol. 16, No. 11:297-340.
- BRANSON, E. B. 1905. Notes on some Carboniferous coeliodonts, with descriptions of seven new species. J. Geol. 13: 20-34.
- CAVENDER, T. 1966. The caudal skeleton of the Cretaceous teleosts *Xiphactinus*, *Ichthyodectes*, and *Gillicus*, and its bearing on their relationship with *Chirocentrus*. Occ. Pap. Mus. Zool. Univ. Michigan, No. 650:1-15.
- CHORN, J. 1978. *Helicoprion* (Elasmobranchii, Edestidae) from the Bone Spring Formation (Lower Permian) of West Texas. Univ. Kansas Paleont. Contr., Pap. 89: 2-4.
- CHORN, J., AND D. FRAILEY. 1978. A large chondrichthyan spine, *Physonemus mirabilis*, from the Upper Pennsylvanian of Kansas, U.S.A. Neues Jahrbuch f. Geol. Paläont. Monatshefte 1978:385-392.
- CHORN, J., AND E. A. REAVIS. 1978. Affinities of the chondrichthyan organ-genera *Listracanthus* and *Petrodus*. Univ. Kansas Paleont. Contr., Pap. 89:4-9.
- COCKERELL, T. D. A. 1919. Some American Cretaceous fish scales; with notes on the classification and distribution of Cretaceous fishes. U.S. Geol. Surv., Prof. Pap., No. 120:165-202.
- DUNKLE, D. H. 1942. A new fossil fish of the family Leptolepidae. Sci. Publ. Cleveland Mus. Nat. Hist. 8:61-64.
- DUNKLE, D. H., AND C. W. HIBBARD. 1946. Some comments upon the structure of a pycnodontid fish from the Upper Cretaceous of Kansas. Kansas Geol. Surv. Bull. No. 31:161-181.
- EATON, T. H. 1962. Teeth of Edestid Sharks. Univ. Kansas Publ., Mus. Nat. Hist. 12: 347-362.
- ECHOLS, J. 1963. A new genus of Pennsylvanian fish (Crossopterygii, Coelacanthiformes) from Kansas. Univ. Kansas Publ., Mus. Nat. Hist. 12:475-501.
- FOREY, P. L. 1977. The osteology of *Notelops* Woodward, *Rhacolepis* Agassiz and *Pachyrhizodus* Dixon (Pisces: Teleostei). Bull. Brit. Mus. (Nat. Hist.), Geol., 28, No. 2:125-204.
- GILLETTE, D. D. 1972. Coelomic cavity casts of Upper Cretaceous fishes in Texas. J. Paleont. 46:50-54.
- GREEN, W. R. 1913. A description of the specimens of the teleostean genus *Enchodus* in the University of Kansas Museum. Kansas Univ. Sci. Bull. 7, No. 2:71-107.
- HANSEN, M. C. 1980. New Occurrences of the petalodontiform chondrichthyan *Megactenoptalus* in the Pennsylvanian of Oklahoma and Kansas. Oklahoma Geol. Notes 40:185-189.
- HIBBARD, C. W. 1933. Two new species of *Coelacanthus* from the middle Pennsylvanian of Anderson County, Kansas. Kansas Univ. Sci. Bull. 21, No. 8:279-287.
- HIBBARD, C. W. 1936. Two new sunfish of the family Centrarchidae from the middle Pliocene of Kansas. Kansas Univ. Sci. Bull. 24, No. 11:177-185.
- HIBBARD, C. W. 1938. A new fish, *Listracanthus eliasi*, from the Pennsylvanian of Nodaway County, Missouri. Bull. Univ. Kansas 39:169-171.

- HIBBARD, C. W. 1939. A new pycnodont fish from the Upper Cretaceous of Russell County, Kansas. Kansas Univ. Sci. Bull. 28, No. 9:373-375.
- HIBBARD, C. W. 1942. A new chimaeroid fish from the Niobrara Cretaceous of Logan County, Kansas. Kansas Univ. Sci. Bull. 28, No. 11:237-240.
- HIBBARD, C. W., AND D. H. DUNKLE. 1942. A new species of cyprinodontid fish from the middle Pliocene of Kansas. Kansas Geol. Surv. Bull. No. 41:270-276.
- HIBBARD, C. W., AND A. A. GRAFFHAM. 1941. A new pycnodont fish from the Upper Cretaceous of Rooks County, Kansas. Kansas Univ. Sci. Bull. 27, No. 5:71-77.
- HIBBARD, C. W., AND A. A. GRAFFHAM. 1945. *Micropycnodon*, a new name for *Pycnomicrodon* Hibbard and Graffham not Hay. Kansas Acad. Sci. Trans. 47:404.
- HUBBS, C. L., AND C. W. HIBBARD. 1951. *Ictalurus lambda*, a new catfish, based on a pectoral spine from the lower Pliocene of Kansas. Copeia 1951:8-14.
- JORDAN, D. S. 1924. A collection of fossil fishes in the University of Kansas from the Niobrara formation of the Cretaceous. Kansas Univ. Sci. Bull. 15, No. 2:219-245.
- LANE, H. H. 1945. A survey of the fossil vertebrates of Kansas. Part I: The fishes. Kansas Acad. Sci. Trans. 47:129-176.
- MAISEY, J. G. 1982. The anatomy and interrelationships of Mesozoic hybodont sharks. Amer. Mus. Novitates 2724:1-48.
- MARTIN, H. T. 1913. Notice of a new fish from the Permian of Kansas, with description. Kansas Univ. Sci. Bull. 7, No. 7:185-186.
- MARTIN, H. T. 1922. *Anguillavus backberryensis*; a new species and a new genus of fish from the Niobrara Cretaceous of Kansas. Kansas Univ. Sci. Bull. 13, No. 7:95-98.
- MARTIN, L. D., AND J. D. STEWART. 1977. The oldest (Turonian) mosasaurs from Kansas. J. Paleont. 51:973-975.
- MCCLUNG, C. E. 1908. Ichthyological notes of the Kansas Cretaceous. Kansas Univ. Sci. Bull. 4, No. 9:233-243.
- MCCLUNG, C. E. 1926. *Martinichthys*, a new genus of Cretaceous fish from Kansas, with descriptions of six new species: Amer. Philos. Soc. Proc. 65, suppl.:20-26.
- MEYER, R. 1974. Late Cretaceous elasmobranchs from the Mississippi and East Texas embayments of the Gulf Coastal Plain. Unpubl. Ph.D. thesis Southern Methodist Univ. Texas: xiv + 419 pp.
- MILLER, H. W. 1957. *Petalodus jewetti*, a new species of fossil bradyodont fish from Kansas. Kansas Acad. Sci. Trans. 60: 82-85.
- MILLER, H. W., AND A. SWINEFORD. 1957. Paleogeology of nodulose zone at top of Haskell limestone (Upper Pennsylvanian) in Kansas. Amer. Assoc. Petrol. Geol. Bull. 41:2012-2036.
- MOODIE, R. L. 1910. A contribution to the soft anatomy of Cretaceous fishes and a new primitive herring-like fish from the Texas Cretaceous. Kansas Univ. Sci. Bull. 5, No. 15:277-287.
- MOORE, R. C. 1929. A large fish spine from the Pennsylvanian of North Central Texas. Denison Univ. Bull. 24:237-243.
- NYBELIN, O. 1974. A revision of the leptolepid fishes. Acta Reg. Soc. Sci. Litt. Gothoburgensis, Zool., 9:1-202.
- ØRVIC, T. 1966. Histological studies of Ostracoderms, Placoderms and fossil Elasmobranchs. 2. On the dermal skeleton of two late Palaeozoic Elasmobranchs. Ark. Zool. Stockholm 19, No. 1:1-39.
- PATTERSON, C. 1973. Interrelationships of holosteans. In: Greenwood, P. H., Miles, R. S. and Patterson, C. (eds.). Interrelationships of fishes. Zool. J. Linn. Soc. 53, suppl. 1:233-305.
- PATTERSON, C., AND D. E. ROSEN. 1977. Review of Ichthyodectiform and other Mesozoic teleost fishes and the theory and practice of classifying fossils. Bull. Amer. Mus. Nat. Hist. 158:81-172.
- POPLIN, C. 1974. Étude de quelques paléoniscidés pennsylvanien du Kansas. Cahiers Paléont.:1-151.
- POPLIN, C. 1981. Discovery of intracranial ossicles in a Carboniferous North American Palaeoniscid (Pisces: Actinopterygii). Occ. Pap., Mus. Nat. Hist., Univ. Kansas, No. 99:1-17.
- SAWIN, R. S., WEST, R. R., AND P. C. TWISS. 1979. A cryptalgal biostrome in the Upper Carboniferous of Northeast Kansas. 9. Internat. Congr. Carboniferous Stratigraphy and Geology, Urbana, Ill., Abstr.:193.
- SCHAEFFER, B. 1973. Interrelationships of chondrosteans. In: Greenwood, P. H., Miles, R. S. and Patterson, C. (eds.). Interrelationships of fishes. Zool. J. Linn. Soc. 53, suppl. 1:207-226.
- SCHULTZE, H.-P. 1973. Crossopterygier mit heterozerker Schwanzflosse aus dem Oberdevon Kanadas, nebst einer Beschreibung von Onychodontida-Resten aus dem Mitteldevon Spaniens und aus dem Karbon der USA. Palaeontographica A. 143:188-208.
- SCHULTZE, H.-P. 1981A. Hennig und der Ursprung der Tetrapoda. Paläont. Z. 55:71-86.
- SCHULTZE, H.-P. 1981B. A dipnoan tooth plate

- from the Lower Cretaceous of Kansas, USA. Kansas Acad. Sci. Trans. 84:187-195.
- SMITH, G. L. 1962. Some Pliocene fishes from Kansas, Oklahoma, and Nebraska. *Copeia* 1962:505-520.
- STEWART, A. 1898A. A contribution to the knowledge of the ichthyic fauna of the Kansas Cretaceous. Kansas Univ. Quart. 7:21-29.
- STEWART, A. 1898B. Individual variations in the genus *Xiphactinus* Leidy. Kansas Univ. Quart. 7:115-119.
- STEWART, A. 1898C. Some notes on the genus *Sauroidon* and allied species. Kansas Univ. Quart. 7:177-186.
- STEWART, A. 1898D. A preliminary description of seven new species of fish from the Cretaceous of Kansas. Kansas Univ. Quart. 7:191-196.
- STEWART, A. 1899A. A preliminary description of the opercular and other cranial bones of *Xiphactinus* Leidy. Kansas Univ. Quart. 8:19-21.
- STEWART, A. 1899B. *Pachyrhizodus minimus*, a new species of fish from the Cretaceous of Kansas. Kansas Univ. Quart. 8:37-38.
- STEWART, A. 1899C. Notice of three new Cretaceous fishes, with remarks on the *Sauroidontidae* Cope. Kansas Univ. Quart. 8:107-112.
- STEWART, A. 1899D. Notes on the osteology of *Anogmius polymicrodus* Stewart. Kansas Univ. Quart. 8:117-121.
- STEWART, A. 1899E. *Leptichthys*, a new genus of fishes from the Cretaceous of Kansas. Amer. Geol. 24:78-79.
- STEWART, A. 1900. Cretaceous fishes; teleosts. Kansas Geol. Surv. 6:257-403.
- STEWART, J. D. 1978. Enterospirae (fossil intestines) from the Upper Cretaceous Niobrara Formation of Western Kansas. Univ. Kansas Paleont. Contr., Pap. 89: 9-16.
- TAVERNE, L. 1975. À propos de trois téléostéens fossiles déterminés erronément comme ostéoglossides, *Cearana* JORDAN, D. S. et BRANNER, J. C., 1908, *Eurychir* JORDAN, D. S., 1924 et *Genartina* FRIZZELL, D. L. et DANTE, J. H., 1965. Ann. Soc. Roy. Zool. Belg. 105:15-30.
- WHETSTONE, K. N. 1978. *Belonostomus* sp. (Teleostei, Aspidorhynchidae) from the Upper Cretaceous Tombigbee Sand of Alabama. Univ. Kansas Paleont. Contr. Pap. 89:17-19.
- WILEY, E. O., AND J. D. STEWART. 1977. A gar (*Lepisosteus* sp.) from the marine Cretaceous Niobrara Formation of Western Kansas. *Copeia* 1977:761-762.
- WILEY, E. O., AND J. D. STEWART. 1981. *Urenchelys abditus*, the first undoubted eel from the Cretaceous of North America (Teleostei: Anguilliformes). J. Vert. Paleont. 1:43-47.
- WILLIAMS, M. 1972. The origin of "spiral coprolites." Univ. Kansas Paleont. Contr. Pap. 59:1-19.
- WILLISTON, S. W. 1899A. A new genus of fishes from the Niobrara Cretaceous. Kansas Univ. Quart. 8:113-115.
- WILLISTON, S. W. 1899B. A new species of *Sagenodus* from the Kansas Coal Measures. Kansas Univ. Quart. 8:175-181.
- WILLISTON, S. W. 1900A. Some fish teeth from the Kansas Cretaceous. Kansas Univ. Quart. 9:27-42.
- WILLISTON, S. W. 1900B. Cretaceous fishes; selachians and pycnodonts; Dercetidae. Kansas Geol. Surv. 6:235-236, 380-382.
- ZANGERL, R. 1981. Chondrichthyes I (Paleozoic Elasmobranchii). In: Schultze, H.-P. (ed.). Handbook of Paleoichthyology. Vol. 3A:i-v, 1-115.
- ZELLER, D. E. (ed.). 1968. The stratigraphic succession in Kansas. Kansas Geol. Surv. Bull. 189:1-81.
- ZIDEK, J. 1977. Oklahoma Paleoichthyology; addendum to part V. Oklahoma Geol. Notes 37:151-156.

APPENDIX

GENERA AND SPECIES LISTED

	PAGE		PAGE
<i>Ananogmius</i>	32	<i>Bananogmius</i>	2,33
<i>Anguillavus</i>	37	<i>evolutus</i>	33
<i>hackberryensis</i>	37	<i>Belonostomus</i>	25
<i>Anogmius</i>	33	sp.	25
<i>evolutus</i>	33	<i>Beryx</i>	
<i>polymicrodus</i>	33	<i>multidentatus</i>	33
<i>Apsopelix</i>	38	<i>polymicrodus</i>	33
<i>anglicus</i>	38,39	<i>Campodus</i>	
<i>sauriformis</i>	36,39	<i>variabilis</i>	4

	PAGE		PAGE
<i>Cascodus</i>	4	<i>detillai</i>	45
<i>gigas</i>	4	<i>Gillicus</i>	25,26,31
sp.	4	<i>arcuatus</i>	25,26,31
<i>Chaenobryttus</i>		<i>Helicoprion</i>	5
<i>kansasensis</i>	46	sp.	5
<i>Cimolichthys</i>	39	<i>Holmcrossella</i>	5
<i>semiaiceps</i>	39	?sp.	5
<i>nepaholica</i>	39,40	hybodont	5
<i>Ceratodus</i>	49	<i>Hypsodon</i>	
<i>africanus</i>	49	<i>audax</i>	25
<i>frazieri</i>	49	<i>Ichthyodectes</i>	25,26
<i>Cocconiscus</i>	17	<i>acanthicus</i> (?)	26,27,31
<i>baldwini</i>	17,18,21	<i>anaides</i>	26,27
<i>Coelacanthus</i>		<i>cruentis</i>	26,27
<i>arcuatus</i>	47	<i>ctenodon</i>	26,27,28
<i>newelli</i>	47	<i>ctenodon</i> ?	27
<i>Coelodus</i>	22	<i>hamatus</i>	26,27
<i>brownii</i>	22	<i>parvus</i>	27,28
<i>stantoni</i>	22	<i>Ichthyopriapus</i>	4
<i>streckeri</i>	22	<i>hubbsi</i>	4,23
<i>Corax</i>	11,13	<i>Ietalurus</i>	38
<i>curvata</i>	10	<i>lambda</i>	38
<i>curvatus</i>	10	<i>Isurus</i>	7,8,9
<i>falcatus</i>	10,11,12	<i>mantelli</i>	7,8,9
<i>Cretolamna</i>	6	<i>Kausanus</i>	35
<i>appendiculata</i>	6	<i>martini</i>	35,37
<i>Cretoxyrhina</i>	7	<i>Kansasia</i>	18
<i>mantelli</i>	6,7	<i>catoni</i>	18,19,20
<i>Ctenopterygius</i>	5	<i>Kansasiella</i>	18
<i>semicircularis</i>	5	<i>catoni</i>	18,21
<i>Daptinus</i>	31	<i>Lamnispodylus</i>	46
<i>broadheadi</i>	31,32	<i>transceisus</i>	39,46
<i>Deltodus</i>	4	<i>Lamna</i>	6,9
<i>attenuatus</i>	4	<i>appendiculata</i>	6,7,9
<i>Elonichthys</i> ?	18	<i>macrorhiza</i>	9
<i>Empo</i>		sp.	6
<i>nepacolica</i>	39,40	<i>Lepisosteus</i>	23
<i>nepaholica</i>	37,40	sp.	23
<i>lisbonensis</i>	39,40	<i>Lepomis</i>	46
<i>semiaiceps</i>	39,40	<i>kansasensis</i>	46
<i>Euchodus</i>	40	<i>Leptichthys</i>	39
<i>amicrodus</i>	40,43,44	<i>agilis</i>	38,39,46
<i>diris</i>	40	<i>Lepteceodon</i>	44
<i>dolichus</i>	40,41	<i>rectus</i>	44,45
<i>gladiolus</i>	40	<i>Leptolepis</i>	38
<i>parvus</i>	41,43	<i>schoeuei</i>	38
<i>petrosus</i>	40,41,42,43,44	<i>Leptostyrax</i>	9
<i>shumardi</i>	41,43,44	<i>crassidens</i>	9
sp.	40,44	<i>macrorhiza</i>	9
<i>Enterospira</i>	16,17	<i>Listracanthus</i>	15
heteropolar		<i>eliasi</i>	15
"spiral coprolite"	16	?hystrix	15
<i>Eurychir</i>	35	<i>Luxilites</i>	34
<i>lindleyi</i>	35,36	<i>striolatus</i>	34
<i>Fadania</i>		<i>Martinichthys</i>	34
<i>gigas</i>	4	<i>acutus</i>	34
<i>Ferrifrons</i>	46	<i>alternatus</i>	34
<i>rugosus</i>	46	<i>brevis</i>	34
<i>Fundulus</i>	45		
<i>detillae</i>	45		

	PAGE		PAGE
<i>gracilis</i>	34	<i>anonymus</i>	13
<i>intermedius</i>	34	<i>janewayii</i>	13
<i>latus</i>	35	<i>martini</i>	13
<i>ziphioides</i>	35	<i>mortoni</i>	14
<i>Megactenopetalus</i>	5	<i>occidentalis</i>	14
<i>kaibabanus</i>	5	<i>polygyrus</i>	14
<i>Micropycnodon</i>	22,23	sp.	14,15
<i>kansasensis</i>	22	<i>whipplei</i>	15
<i>Niobrara</i>	35	<i>Pycnomicrodon</i>	22,23
<i>encarsia</i>	35	<i>kansasensis</i>	22
<i>Notropis</i>	38	<i>Quebecius</i>	47
<i>megalopsis</i>	38	<i>williamsi</i>	47
<i>Omosoma</i>	45	<i>Sagenodus</i>	2,48
<i>garretti</i>	45	<i>copcanus</i>	48
<i>Otodus</i>		<i>Saurocephalus</i>	31
<i>semiplicatus</i>	9	<i>dentatus</i>	31
<i>sulcatus</i>	9	<i>lauciformis</i>	31
<i>Oxyrhina</i>		<i>Saurodon</i>	32
<i>crassidens</i>	9	<i>broadheadi</i>	32
<i>mantelli</i>	7,8,9	<i>ferox</i>	32
<i>Pachyrhizodus</i>	36,37	<i>leanus</i>	31,32
<i>caninus</i>	36	<i>phlebotomus</i>	32
<i>latimentum?</i>	36	<i>xiphrostris</i>	32
<i>leptognathus</i>	36	<i>Scapanorhynchus</i>	6,7
<i>leptopsis</i>	36,37	<i>rhaphiodon</i>	6,7
<i>minimus</i>	35,36,37,39	<i>Squalicorax</i>	10,33
sp.	35,36,37,40	<i>curvatus</i>	10
<i>velox</i>	37	<i>kaupi</i>	10
Palaeoniscid indet.	20,21	cf. <i>kaupi</i>	11
Palaeoniscoid B	21	sp.	13
<i>Petalodus</i>	5	<i>Squalus</i>	
<i>jewetti</i>	5	<i>acanthias</i>	17
<i>ohioensis</i>	5	<i>Stratodus</i>	44
<i>Petrodus</i>	15	<i>apicalis</i>	44
sp.	15	<i>Syllacmus</i>	39
<i>Physonemus</i>	15	<i>latifrons</i>	39
<i>mirabilis</i>	15,16	<i>Synaptotylus</i>	46
<i>striatus</i>	16	<i>newelli</i>	46,47
<i>Plicatolamna</i>	9	<i>Thrissopater</i>	37
<i>Pomoxis</i>	46	<i>intestinalis</i>	37
<i>lanei</i>	46	<i>Urechelys</i>	37
<i>Portheus</i>	28	<i>abditus</i>	38
<i>lowii</i>	28	<i>Xenacanthus</i>	16,17
<i>Protosphyraena</i>	23,24	<i>Xiphactinus</i>	28,29,30,31
<i>bentonia</i>	23	<i>audax</i>	28,29,30,31
<i>bentoniana</i>	23	<i>brachygnathus</i>	29,30,31
<i>gigas</i>	23	<i>lestero</i>	29
<i>gladius</i>	4,23	<i>lowii</i>	28,31
<i>occidentalis</i>	24	<i>Xystracanthus</i>	
<i>penetrans</i>	24,25	<i>grandis</i>	15,16
<i>pernicosa</i>	24	<i>striatus</i>	16
<i>recurvirostris</i>	24	<i>Zanclites</i>	35
sp.	24	<i>xenurus</i>	35
sp. nov.	24		
<i>tenuis</i>	24		
<i>Ptychodus</i>	13,14		

QE841 .U62 P7.l

Type and figured specimens of fossils

Harvard MCZ Library

AF05871



3 2044 062 376 199

RECENT MISCELLANEOUS PUBLICATIONS
UNIVERSITY OF KANSAS MUSEUM OF NATURAL HISTORY

52. Reproductive cycles in lizards and snakes. By Henry S. Fitch. Pp. 1-247, 16 figures in text. June 19, 1970. Paper bound.
53. Evolutionary relationships, osteology, and zoogeography of leptodactyloid frogs. By John D. Lynch. Pp. 1-238, 131 figures in text. June 30, 1971. Paper bound.
55. Middle American lizards of the genus *Ameiva* (Teiidae) with emphasis on geographic variation. By Arthur C. Echternacht. Pp. 1-86, 28 figures in text. December 14, 1971. Paper bound.
57. A systematic review of the Teiid lizards, genus *Bachia*, with remarks on *Heterodactylus* and *Anotosaura*. By James R. Dixon. Pp. 1-47, 15 figures in text. February 2, 1973. Paper bound.
59. Systematics and evolution of the Andean lizard genus *Pholidobolus* (Sauria: Teiidae). By Richard R. Montanucci. Pp. 1-52, 8 figures in text. May 14, 1973. Paper bound.
61. Reproductive strategies in a tropical anuran community. By Martha L. Crump. Pp. 1-68, 13 figures in text. November 15, 1974. Paper bound.
62. A demographic study of the ringneck snake (*Diadophis punctatus*) in Kansas. By Henry S. Fitch. Pp. 1-53, 19 figures in text. April 3, 1975. Paper bound.
65. The biology of an equatorial herpetofauna in Amazonian Ecuador. By William E. Duellman. Pp. 1-352, 198 figures in text. August 30, 1978. Paper bound.
66. Leptodactylid frogs of the genus *Eleutherodactylus* from the Andes of southern Ecuador. By John D. Lynch. Pp. 1-62, 23 figures in text. February 28, 1979. Paper bound.
67. An ecogeographic analysis of the herpetofauna of the Yucatan Peninsula. By Julian C. Lee. Pp. 1-75, 27 plates, 22 figures in text. February 29, 1980. Paper bound.
68. Internal oral features of larvae from eight anuran families: Functional, systematic, evolutionary and ecological considerations. By Richard Wassersug. Pp. 1-146, 37 figures in text. June 24, 1980. Paper bound.
69. The *Eleutherodactylus* of the Amazonian slopes of the Ecuadorian Andes (Anura: Leptodactylidae). By John D. Lynch and William E. Duellman. Pp. 1-86, 8 figures in text. August 29, 1980. Paper bound.
70. Sexual size differences in reptiles. By Henry S. Fitch. Pp. 1-72, 9 figures in text. February 27, 1981. Paper bound.
71. Late Pleistocene herpetofaunas from Puerto Rico. By Gregory Pregill. Pp. 1-72, 26 figures in text. May 8, 1981. Paper bound.
72. Leptodactylid frogs of the genus *Eleutherodactylus* in the Andes of northern Ecuador and adjacent Colombia. By John D. Lynch. Pp. 1-46, 22 figures in text. July 8, 1981. Paper bound.

